


For Free Distribution to Users of Machine Tools

HITCHCOCKS MACHUNE TOOLLIST

A Reference Book for Buyers of Iron Working Machinery

Published by A HATTERSOCK 1220-1235 Caxton Building Chicago



Do Not Delay

investigating the new Fosdick 21/2 foot radial.

It is the machine for rapid and accurate drilling. Some of its features are—direct reading index; automatic safety stop; power THE elevating and lowering device, and ball bearing thrust collar.

We build a full line of Radials, from 2 foot to 6 foot in IEW YO clusive; also a full line of Horizontal Boring, Drilling and HICAGO Milling Machines.

The Fosdick Machine Tool Co Cincinnati, Ohio

They a tion o metho le you arts wit

On job g cuts t

Acr

OSTON



THE ACME AUTOMATIC

Do you find heavy tool marks on the finished roducts that you want especially accurate?

They are usually caused by viration of forming tools. A betr method of machining will enble you to get smoothly finished arts without extra handling.

On jobs requiring heavy formg cuts the Acme Automatic divides up the work among several tools instead of throwing it all on one. This not only insures smooth. well finished parts but also divides the time of the operation, so that each piece is completed in the shortest possible time and made accurate to a fine degree.

he Acme Automatic has helped many manufacturers to get better duplicate parts. It will probably help you. Write for the booklet 200 Reasons' and investigate the Acme Way

THE NATIONAL-ACME MFG. CO.

CLEVELAND, OHIO

EW YORK, 77 White St. HICAGO, 23 S. Jefferson St. OSTON, 141 Milk St.

of its

ollar.

ot im

DETROIT, Majestic Bldg. ATLANTA, 3d Nat'l Bank Bldg. MONTREAL, in St. Henri at G. T. R. If a Radial Drill works in the hands of the Operator like the Eye in his head—then it is a satisfactory tool.






The New Gang Radial Drill Catalogue ready for mailing

The Wm. E. Gang Co.


"Standard" Double Bolt Cutters

With Constant Speed Motor Drive



Universal Machine Company

Enterprise St., Bowling Green, Ohio



E

ing Co.


ers

ny

Reliance Bolt Cutters

Built in sizes ¾ inch to 6 inches, Single, Double and Triple, of the most up-to-date design. There is, also, a good reason why the "Reliance" is such a satisfactory machine for accuracy of threads cut, large production and low cost of maintenance, even in the hands of inexperienced labor. A lot of this reason is in the Opening Die Head, and we would like to tell you all about it. Interesting information for the asking.

The Foote-Burt Co., Makers
Cleveland, Ohio



"Morris" Plain Radial Drill

Are time saving, cost reducing machines. Built along simple lines, unusually rigid, of first class workmanship and carefully inspected material, and priced at reasonable figures, they are the best drilling machine proposition on the market today

Will handle high speed drills up to 2 1/2" in diameter easily and accurately. Always ready for service, anyone can use them at any time, and they last for years.

Made with cone or gearbox drive; also arranged for motor drive.

lts :

of y

resu

thes

that

eac

Specify "MORRIS" radials and solve your drillis protlems for all time.

Let us send you our literature and quotation on your next requirements. There are economical features connected with these machines you should know about.

The John B. Morris Machine Tool Concinnati, Ohio

Makers also of the SUPERIOR MORRIS Engine Lathes

Small Holes in Big Work

Is a Difficult Proposition to Handle Economically—Here's the Remedy



and est oday in di-

d they

anged

drillia

on on

l feat-

d know

thes

The T. & F. 3-ft. Sensitive Radial

assures you the highest, therefore the most profitable speeds. Its specialty is drilling holes up to 2-inch in large work.

Your profits go hand in hand with the productive capacity of your machines. The T. & F has the flexibility of the radial coupled with the efficiency of the sensitive. This combination results in a capacity that is highly gratifying to manufacturers in these days of close figuring and keen competition.

So far as we know it is the only machine made today that may be equipped with more than one head and spindle, each head being especially designed for the work it is to do.

Send us your name today so we can place all the good points before you and prove its value to you

The Taylor & Fenn Company
Hartford, Conn.

14-in. & 16-in. Quick Change Lathes




Send for them today.

The Conover-Overkamp Machine & Tool Co.

An Especially Good Lathe

15-in., with 17-in. Swing, 3 or 4 Step Cone



We have been building good lathes, and nothing but good lathes, for 27 years, and are making them now better than ever. We cordially invite comparison of both quality alone and quality-for-theprice. Write for the story of the Robbins Lathe.

L. ROBBINS MACHINE CO.,

Worcester, Mass.

shop

latest to da

sixty


talking up

(lathes
belt of
the
class
greate
maner
art pe

New Havens

he

Are Right Up to Date And Up to Date Right



Designed to meet the exacting demands of present-day shop practice, and built in a modern shop equipped with the latest improved machinery, New Haven Lathes are right up to date.

But with that touch of conservatism that goes with our sixty years' experience, we never sacrifice working points for talking points, and you can always count on New Havens being up to date right.

Our line includes about everything you want in modern lathes from 18-in. to 65-in. swing, single or double back gear, belt or motor drive. They are powerful, rigid, practical tools of the first class. Some of our customers think they are in a class by themselves. We know that they are built with the greatest care throughout, to insure dependability and permanent accuracy, so far as the present state of the mechanics' art permits. And the price is right, too.

Write for full information We are at your service

New Haven Manufacturing Co.

15" Heavy, Accurate, Modern



A LATHE that combines accuracy and capacity in such degree that it is equally efficient in tool room or factory. Made to meet the most severe requirements where accuracy is required, it also has the strength and rigidity to take beary cuts without chatter. A modern tool that makes good anywhere,


The price, too, is attractive for the quality. Write for it.

Rockford Tool Co. Harrison Ave. & 11th St. Rockford, Ill.

A Superior 16-Inch Lathe 15 Feed Changes Instantly Obtainable



THE VON WYCK MACHINE TOOL CO., Cincinnati, O.



rn

Ith St.

he

Consult

The Second-hand Lists of this Journal and see how few LeBlond Lathes are Listed by Machinery Dealers. And we have been building Lathes for 25 years.


This is mighty strong evidence that the double friction back gears, the hard-ened steel spindle bearings, one piece box section apron with drop forged gears, do increase the productive life of a LeBlond Lathe.

Details sent on request

The R. K. LeBlond M. T. Co. Cincinnati, Ohio

Geared Friction Head Screw Machine

With Independent Stops to Each Hole in Turret



"FOSTER" SCREW MACHINES are built in several sizes, to take stock up to 4-in, through turret spindle. They are wonderful producers of duplicate parts, on account of their speed, capacity, stability and convenience, and they work equally well in brass or steel.

You will find it profitable to know them. Won't you write?

FOSTER MACHINE CO., 200 Ward St., Elkhart, Ind.

Greater Convenience & Capacity

In this 14-inch Lathe with 1514-inch Swing



az

ONE HANDI.E and ONE KNOB control 32 changes of feeds and threads, without removing a gear. Guaranteed accurate to .00 of an inch. Threads 2 to 32, and feeds 20 to 200 per inch. Phosphor bronze bearings. Every detail up-to-date or a little ahead.

There's better profit with this tool. Write us

The Carroll & Jamieson Machine Tool Co., Batavia, O.

Blount Speed Lathes

rret


es, to al prostabileel.

Ind

ity

feeds

1. 0.



Blount Speed Lathes are built in 11°, 13° and 16° swing, with plain or self-oiling bearings, and beds from 3 to 12 feet in length.

The spindles are of crucible steel, are hollow, and fitted with Morse Taper. Cone pulleys are carefully turned and balanced for running at high speed.

The tailstocks have our patented screw and lever feed, and are provided with taper wedges, by means of which a correct alignment can always be maintained. All binding handles are conveniently situated above the ways.

Ask your dealer about our lathes, or write for catalogue No. 14.

J.G. Blount Company

Everett, Mass.

The Racine Tool and Machine Co. will let you use a

Racine High Speed Metal Cutting Machine

30 days on trial.




If it does not do as much meal cutting as FIVE to TEN ordimary Hack Saws and thereby reduce cutting costs about 500%, you have the privilege of retuning the saw at their expense.

One trial order resulted in the Speed Machines to one steel company. The "Racine is now built in four sizes, viz., Gat is, Gat

Write at once to

Racine Tool & Machine Company

The Junction, Racine, Wis., U.S.A.



Save Money and Increase Your Production by Using

AERO CHUCKS and COLLAPSIBLE TAPS

Our regular line of AERO CHUCKS are capable of chucking any shape and form of casing. The styles "C" and "D" Air Cylinders, which are single and double acting, respectively, are the most efficient and lightest

All Cylinders, which are single and double acting, respectively, are the most efficient and lightest in weight on the market today. Our COLLAPSIBLE TAPS insure continued duplication of correctly threaded work. Chasen can be ground on the end, thus easily kept in proper condition for bottoming.

for bottoming,
We are also builders of SPECIAL COST REDUCING
TOOLS for manufacturing
Brass and Iron goods.

Ask your dealer or write to

Manufacturers Equipm't Ca.

S

Th wo ing ing

E

SPECIAL

6x9 Shaper, 14-in. traverse, with swivel and plain chucks that take work full length of traverse, and countershaft.

\$160



6x9, 8x12 and 10x15-Inch

Improved Shaping Machines

The capacity of our improved machines has been increased at least one-half. The feed is automatic and reversible. The cutter-bar has a graduated swivel head. They will prove particularly profitable where much short work is now being done by filing and planing, often saving the room and expense of a large planer. A large opening in the machine permits the insertion of long work, such as shafts for keyseating, etc.

Write for Shaper Catalog, also separate Catalog of Post Drills, Bolt Catters, Bending Machinery and Nut Tappers.

Boynton & Plummer, Inc., Worcester, Mass.

chine

N ordithereby t 500%, f return-

d in the me High me steel is now 6x6 is, 2x15 in. with an Speed

any


and

AFRO chuckof castd "D" single tively, ightest

TAPS
tion of
hasers
d, thus
adition
SPE
ING

t Ca

Riveting Costs Reduced from 60% to 90%



It's the electric way-the rivetless riveter.

Over 50 Stove Manufacturers are using these machines-Why? Because they can save from 60% to 90% in labor costs. If they couldn't make money by using them, they wouldn't buy them. Tell us what you are riveting, and we'll tell you what you can save. Then we will send you a machine on 30 days' free trial.

Our Bulletin No. 12 tells all about Spot Welders; No. 11 about Butt Welders.

No Lease

No License

No Royalty

The Toledo Electric Welder Co.

4116 Langland Street, Cincinnati, Ohio



ed

buy

what

. 11

0.

Aside From This

there's the evidence of thousands of users all over the United States. Would they use them if they were not the best? Hardly.

Want a Catalogue? A Postal will bring it.

We use aluminum for Casing on all Drills to cut down weight Power from any Lamp Socket

SENT ON TRIAL ANYWHERE

Made for alternating or direct current Just attach it to your nearest lamp socket

The United States Electrical Tool Co.

NEW YORK, 50 Church St.

BOSTON, 12 Pearl St. CHICAGO, 8 E. Michigan St.
PHILADELPHIA, Heed Bldg., No. 1211 Filbert St.

Are YOUR Pulley Requirements Harder Or More Varied Than These?

In the plant of the Excelsior Motor Mfg. & Supply Co. of Chicago, makers of "Excelsior" Auto-Cycles, an

"American" Split Pulley

is used in running a line of polishing and buffing machines. On moment there is no resistance except the belt traction—the next, tens fifteen men will be at work polishing, exerting an aggregate pull of \$1 horse power. The pulley does this work and stands up to it.

In making dynamometer power and speed tests for motor or engines the "Excelsior" people use "American" pulleys exclusive because of their lightness and strength.

Another "American" has done 10-inch belt-duty on a motedriven air compressor for 4 years—a task requiring extreme endurant

This Company has used several hundred "American" pulse for 4 years without one cause for complaint.

The case of the Excelsior Company is no exceptional one. In hundreds of plants "American" pulleys are performing even hard tasks and fulfilling in every way our guarantee of double belt sense under any conditions not requiring a special pulley.

Solve your pulley problems by writing for our printed matter talking with an "American" dealer.

THE

a

di

Ы

eli

fla

ac

to



AMERICAN PULLEY Coffice and Works, Philadelphia, N

NEW YORK
203 Lafayette Street
CHICAGO BOSTON
124 S. Clinton Street 165 Pearl Str

Dealers Everywhere

Eliminates Guesswork from Tool Hardening

This view in the heat-treating room of a large Chicago manufacturer of railroad supplies, shows a

Supply

ext. ten h

pull of fl

otor cyd

enclurano

Y Co

STON

xclus

HOSKINS TRADE MARK REG.

Electric Furnace

which has been in constant use for about three years, at such work as hardening and drawing punches, dies and shear blades of all kinds.



The user of this furnace says "we have been able to eliminate guess work and reduce to a science the work of heat-treatment of our tools," and "can hardly recommend it too highly for work of the above nature."

These results are obtained because the Hoskins Electric Furnace heats tools with an absolutely even, fameless heat, controllable with the utmost ease and accuracy. And, because a Hoskins Pyrometer is used to guide the hardener.

For full information, please address Dept. D.


HOSKINS MANUFACTURING COMPANY

Electric—Furnaces, Pyrometers and He ting Appliances
"International" Ammeters and Voltmeters

461 Lawton Avenue, DETROIT

Otis Building CHICAGO Oliver Building PITTSBURGH 30 Church St. NEW YORK

Rockford Gangs



They not only drill, but they bore, ream, tap and face without removing work from jig.

Write for descriptive matter

Rockford Drilling Machine Company Rockford, 111., U.S. A.

This Drill Saves Time

Mechanics' 14-inch

A popular tool that does 50% or more of the work usually done on a 20-in. drill, and does it quicker and easier. Construction insures thorough dependability and long life.

We make a complete line of Standard Drills up to 36-in., and Gang Drills with 2, 3, 4, 5 and 6 spindles, of equal high quality.

If you are interested in tip-top too's at moderate prices, send for our catalog



ope

fro

MECHANICS' MACHINE CO., - Rockford, III.

Independent Unit Control



KOKOMO HI-SPEED

Sensitive Drilling Machine

Each spindle has its own Belt Drive and Geared Speed Box, equipped with high duty Hyatt Roller Bearings.

This gives entirely Independent Unit Control, enabling the operator to select either one of four speeds for each of the four spindles, any speed for any spindle being obtained without interfering with the operation or speed of the other spindles.

All adjustments and speed changes are made from the front of the machine without wrenches or tools.

Combines highest accuracy with most rapid production. One, two, three and four spindles; drilling capacity, all sizes, up to 1½-inch drills.

Write for Bulletin 160; It gives interesting details.

Superior Machine Tool Co. Kokomo, Indiana, U. S. A.

Manufacturers of the Highest Grade and most complete line of Vertical Drilling Machines in the world.

Silver's 20" Drills

Eight Styles

LEVER FEED

LEVER and WHEEL FEED

POWER FEED and Automatic Stop

POWER FEED with Back Gears and Automatic Stop

Round or Square Base

Send for catalog



du

ma

go

me

CO CI m

an

ou

tio

nis

if e

The Silver Mfg. Co., 385 Broadway



Burke Quality Excels on Fine Points

To get the

Burke

quality, be sure that the name and address (Conneaut, 0.) are cast on the frame of the machine.

For Sale Everywhere

Frills And Fancies

Don't Help Production

Simplicity, accuracy, and the quality of endurance which keeps a machinesteadily operating at full capacity do help it.

ls

HIO

ity

n

ts

e

e

ure


me

0.)

he

Twenty-five years' experience in building good drills, has put these attributes into the Reed Drills, and made them mean something to you.

This new design will appeal to you. It is compact without being crowded, of heavy modern construction, and above all convenient. Every detail has been carefully worked out to insure durability as well as efficiency—to make it an exceptional producer. Furnished with power feed if desired.



Ask for prices. They will interest you.

Reed Drill Company

43 Hammond St., Worcester, Mass.



For 11/4-inch Drills and Smaller

New Henry & Wright

Ball Bearing Drilling Machine

Designed especially for automobile and other manufacturers who seek high accuracy, high efficiency and lacconomy in their drilling equipments. A machine that breaking records. One to six spindles.

Henry & Wright Ball Bearing Drilling Machines For Larger Work

The splendid success of our Ball Bearing Sensitive Drillg Machines has created a demand for a larger machine with milar time and labor saving capabilities. We have met it ith a new design, embodying the patented and improved featres of our smaller machines with some original ideas that add laterially to its practical effectiveness.

A multiple spindle machine of the new type is shown on the opposite page. It is of unusual weight and rigidity, is ally equipped with ball bearings, and has ample power to the single speed drills efficiently in sizes from 1 inches down to the smallest.

The success of the new machine is indicated by the fact hat its service records have caused the drilling department of ne of the largest concerns in the country to be entirely oversuled and re-equipped. After most exhaustive and searching ests, the economy of this machine was found to be so great hat longer use of the old equipment could only be regarded swasteful extravagance.

The design covers machines with from one to six spindles, ither of which, according to the work you have for it, will peedily save its cost for you, besides enlarging your facilities and possibly improving the accuracy of your drilling.

You cannot fail to be interested in a machine that marks o great an advance as this one does in the practical work of naking holes, making them right, and making them at mininum cost. Hence you should write us for full description.

ler

Don't forget that you can have a drilling chart showing proper feeds and speeds for carbon and high speed drills if you will merely say you want it

y and the Henry & Wright Mfg. Co. 760 Windsor St., Hartford, Conn.



For Drilling Economy

Wear-Ever Sockets use up drills with broken or twisted shanks. Just grind a flat on one side.

Wear-Ever Sockets do not twist the tang of the drill, and, when nested, allow no chance for wear on tangs of the sockets themselves.

Wear-Ever Sockets have a collar reinforcement at the base, which adds great strength and prevents flaring. It also separates nested sockets at the desired point without first knocking the entire set out of the drill spindle.

Wear-Ever Sockets have other advantages, described in our printed matter.

For Sale by Dealers
Write us for special approval offer

Scully-Jones & Co. 846 Railway Exchange, Chicago, Ill.

Nested

KEYWAYS cut on the drill press

Internal keyways, either straight or taper, are cut perfectly on the drill press by means of a high speed milling cutter in holes 5-8 to 12-in, diameter.

Over 3000 in use.



Get Booklet O and prices

National Machine Tool Co.

2270 Spring Grove Ave.,

Cincinnati, Ohio

Every Hour Saved

on a job decreases production costs in your plant. "It's the wasted time that costs us," says the Superintendent.

When big drill presses are tied up waiting for small drills, a lot of your money is not producing all that it should.

> Small tools can help to make your big ones profitable.

"Detroit" Twist Drills

save time on every job. This means more work on the same machines for the day's output.

Comparative tests have proved that they will enable you to cut from 8 to 30 inches more metal per grind-Isn't it worth your while to try them?

Send for Catalog "J". Select what you want for a good stiff test. We'll ship

them on a satisfaction guaranteed basis that must convince or cost you nothing. DETROIT TWIST DRILL COMPANY

my roke

e side.

ang of

hance selves

force-

rength

nested mock.

ntages,

Far 0.

III.

ess

Ohio



Improving Twist Drills Since 1886

510-522 Fort Street, Detroit




1026 Wabash Ave.

Chicago

30 Church St. New York

622 Market St. Philadelphia

364



The Heaviest, Most Powerful, Efficient and Economical Hammer of Its Size on the Market.

Hammer and Compressor Combined, No Piston Rods, Springs, Straps or Cushions.

Simple—Durable—Reliable

Powerful, non-bounding, squeezing blow. Positive, flexible control. Long stroke. Variable blows at will. No adjustments. Dies at any angle. Belt drive, no countershaft. Motor drive, geared direct.


Sizes and Normal Capacities of Beche Hammers 66 lb. 165 lb. 250 lb. 350 lb. 500 lb. 770 lb. 2* dia. 4* dia. 5* dia. 7* dia. 8* dia. 9* dia.

Write for Catalogue and Prices

Nazel Engineering & Machine Works
Sole Builders for United States and Canada

5th and Luzerne Sts. - Philadelphia, Pa.

he er



Solves Serious Dust Problems

The Morse Rarefied Collector is used in big plants and little ones

And these firms and corporations did not install our Collector because of its good looks, but because they were convinced that it could deliver the goods.

When the Engineering Departments of such plants as the General Electric Co. of Schenectady, N. Y., the Oliver Chilled Plow Works of South Bend, Ind., and the Weston-Mott Co. of Flint, Mich., have had six or more of the Morse Collectors installed in their respective plants, there must be something more to them than we could tell you in this space.

Will you give us an opportunity to tell the whole story?

Just say you're interested in Collectors.

The Knickerbocker Company
Jackson, Mich.

ient

Piston

sitive, ws at Belt lirect.

70 lb.

orks



Efficient Fire Protection Is More Important than Saving Insur

But Terrell Steel Equipment Combines the Te

It decreases the sum you actually pay out for instand it lessens the risk you have to carry yourself. Steament sets up a strong bulwark against the spread of fix almost equal to a fire wall, and often saves much valual perty that with wooden fixtures would go up in smoke small additional cost, which is speedily recovered in the economy, counts but little against the security it afform

teel Bins, Shelves and Lockers

table you to use your storage space with maximum economy, handle stored material most easily and quickly, and to exide, rearrange your entire equipment so as to tapt it perfectly to your varying needs. You have what you ant when, and as, you want it. You don't need to buy for a future; the Terrell unit system of construction permits ditions to be made as required. The units, which are made in large variety of sizes and styles, may be arranged to suit any ace you wish to use, and as easily shifted about and readjusted ithout loss or trouble. Their use means service, security ad a long-run economy that is worth careful consideration.

If you will consult us we shall be glad to give you the enefit of our broad experience in planning factory equipments, ntirely without expense or obligation.

As a preliminary, why not look over our catalogs?

They are free for the asking

Terrell's Equipment Company

Hall and Division Sts., Grand Rapids, Mich.



on

Stee

in the

LEIMAN BROS, ROTARY POSITIVE

PRESSURE BLOWERS AND VACUUM PUMPS

For use with all Oil and Gas Appliances, Agitating Liquids, Sand Blasting or

VACUUM CLEANING

1 oz. to 10 lbs. pressure 1 to 20 in. Vacuum 2 to 338 cubic ft. per min.

Take up own wear. Cant get out of order.

Blower Catalog No. 26 Vacuum " No. 27

LEIMAN BROS.



Positive Pressure Blowers and Vacuum Pumps Patented

In all sizes and for all services



"Built Like A Machine Tool"

> Quiet Durable Efficient

Write for data

THE LEBRAN CO., 940 N. 9th St., Phila., Pa.

Saved \$71.00 in Six Months

That's at the rate of TWICE ITS COST each year. The Brazil Machine & Foundry Co. of Brazil, Ind. say:

"We have only had this tool about six months, but it has paid for itself in SAVING OF LABOR."



ted

lt

ne

If you have any lifting to handle, it will save you its cost several times over each year. From an economical standpoint, you can't afford to be without the "Handiest Tool in the Shop" Portable Floor Crane and Hoist.

Write today for Booklet E8

The Canton Foundry & Machine Co.

Ready on the Minute-



Emergency jobs are constantly springing up; you need a dependable tool ready at an instant's notice. Whereever there's an ordinary lamp socket, your machinist can connect up a

TEMCO ELECTRIC

MODEL E PORTABLE DRILL

and go to work. He's ready for drilling; ready for tapping; ready for sharpening tools; ready for grinding valves. He takes the tool to the job—not the job to the tool.

Send for our well illustrated catalog

The Temco Electric Motor Co. 55 Sugar St., Leipsic, Ohio, U. S. A.

Attach this ad to your letter-head and mail it in today.



Screw Feed Drill



Bench Grinder

HIGH POWER PORTABLE ELECTRIC TOOLS

Universal Drills that operate on both A. C. and D. C., also D. C. Drills and A. C. Drills—all in $\frac{1}{4} - \frac{5}{16} - \frac{3}{8} - \frac{3}{12} - \frac{5}{8} - \frac{3}{4} - \frac{3}{8} - \frac{3}{8} - \frac{3}{8}$ Sizes.

Reamers and Grinders

Write for Catalog and TEST REPORT


New York Office, 50 Church St.

STANBARD

CINCINNATI, OHRO, U. S. A.

For Better Tapping Work

At a Much Lower Cost



The Murchey Collapsing Taps

are made in all sizes, from 1" to 12". Save 50 to 75% and give increased efficiency.

Strong as a solid tap—no complicated parts to wear out. Cut shows simple action and positive adjustment for taking up wear of chasers; also permits making larger or smaller thread, giving a tight or loose fit as wanted.

Used by the principal automobile manufacturers where accuracy is essential.

Adapted to all kinds of tapping machines, drill presses, monitor machines, boring mills and turret lathes. Save reversing and make stripping impossible.

Shanks made to fit any style machine without extra cost.

Sliding Collar Type

Special Offer:

Send us blue prints or samples of work, with your order for a Murchey Collapsing Tap. Try it out thoroughly for efficiency and time saving. If not all we claim, return in 10 days at our expense. You take no chances, and we know the results will surprise you.

You cannot lose by accepting our trial order plan

Murchey Machine & Tool Company
56 Porter St., Detroit, Mich.

springtool— Wheresocket,

ABLE
ILL
or drillsharpvalves.

Co.

not the

1

CTRIC wills and

35

Are you using the most improved Type of Automa Threading Die? If not, get in line and use

New Model Type A

Ideal Opening Die

Simple construction—Few Parts—and impossible to m tapered thread

Let us know your wants. Write for information regarding Die.



This Die does not depend on any springs for opening. As soon as Clutch is disengaged the cutting strain opens Die

Sing a song of Die-heads,
Ours is up-to-date;
Half a dozen pieces
Is its aggregate.
When the Die is opened,
It works without a spring;
Chasers cut a perfect thread,
As slick as anything.

th

Manufactured By

The Ideal Tool & Mfg. Co.

Office and Factory, BEAVER FALLS, PA.

le to pt

ding Die.



opening pens Die





The Geometric Threading Machine Is a Hustler

It will hustle out the threads on small parts in a way that will surprise you, and give you good, clean threads, too.

It is handling work that cannot be threaded to advantage on the usual Screw Machine, such as

Gas Fixtures, Drop Forgings. Brass Castings, Spark Plugs, Connecting Rods, Automobile Parts, Electrical Specialties, Set Screws, etc.

Submit your threading proposition to us

Send for Descriptive Booklet

The Geometric Tool Company New Haven, Conn.

......

Small Metal Articles

Burnished Cheaper and Better

ONE MAN, with an Abbott Barrel, does as much burnishing as dozens of men on polishing or buffing machines, and does it better. The steel balls do not remove any of the material, but burnish and harden the surface without abrasion.



The Abbott Burnishing Barrel

0

Is narrow and of large diameter. In operation it is half full of acel balls, weighing several hundred pounds, which work into a high pile and, in sliding down, bring weight and friction upon the work. Each ball is an individual burnishing tool, and thousands are working at once. This is Steel Ball Burnishing, of which we are the originators.

cutti

up to

hole

terna

broad

ing n

0

We have been sending Abbott Barrels and Abbott Balls to responsible concerns on approval for over three years. In most cases we receive a check before the approval time expires.

Write for free booklet and send samples for burnishing

The Abbott Ball Company
Elmwood District Hartford, Conn.


Instant 2-Speed Design

ter

onn

Lapointe Broaching Machine

With Ball Bearing Thrust and Ball Bearing Mounted Shafts



The Lapointe No. 4

This machine will take care of your heaviest broaching, cutting keyways up to 2-inches and broaching square holes up to 3\(\frac{1}{2}\)-inches. It is built also in three smaller sizes.

Square, hexagon, octagon, round and irregular-shaped holes, internal spiral grooves, straight and taper keyways, internal ratchets and gears are all cut easily and perfectly on our broaching machines—usually in a few seconds—never requiring more than a few minutes.

When writing for catalog, we shall be glad to have you submit drawings, so that we can show you what we can do for you.

The Lapointe Machine Tool Co. Hudson, Mass., U.S.A.



SAVED

\$355 in one month by using a Grant Noiseless Riveting Machine So Says One of Our Customers WHY?

A boy or girl at \$1.00 a day is all that is required to operate the

machine with perfect success.

The machine will do better work and much more rapidly than can be done by any other machine on the market.

We invite you to send us samples of your work, which wa shall rivet and return to you, giving estimate of output and any other information you may desire.

Send for catalog which shows several different sizes and styles of machines for different requirement

The Grant Mfg. & Machine Co. C. E. Station, Bridgeport, Conn.



A Lot of Work at Small Cost

can be produced on our Automatic Wire Straightener and Cutter, because all you have to do is to supply the coils of wire, so the operator has most of his time free for other work. It turns out perfectly straight wire cut to accurate lengths.

Let us quote on a size suitable for your wire?

THE F. B. SHUSTER CO., New Haven, Conn.

Established 1866 Formerly John Adt & Son

Riveting Machines, Foot Presses, Sprue Cutters, Wire Formers, etc.

Superior Merit Rewarded

Were we to offer a prize for the most convincing statement regarding the real merit of the Jacobs Improved Drill Chuck, nothing more convincing could be said than a statement of the following facts:

ng a

chine

mers

ay is te the cess. etter pidly other sam-

e Ca

ost

tener

y the free

onn.



More than 150,000 Jacobs Improved Drill Chucks have been purchased. More Jacobs Improved Drill Chucks were purchased during April, 1913, than in any other month of our phenomenally successful career.

There can be no other explanation of this fact except that the Jacobs Improved Drill Chuck has superior merit.

Our 34-page illustrated catalogue H sent upon request.

The Jacobs Manufacturing Company
32 Union Place, Hartford, Conn., U. S. A.

The Red-E Milling Dog

Insures Accurate and Reliable Work



cramping.

Reason why-sliding tail with ball and socket joint.

Save work, time and worry by using our line of Dogs and other Special Tools

The Ready Tool Co., Bridgeport, Conn.



Are You Tired of Paying Big Bills for High Speed Steel?

ARMSTRONG TOOL HOLDERS

Make 1 lb. of Tool Steel go as far as 10 lbs. in Forged Lathe and Planer Tools.

Write for catalog-It tells other advantages

Armstrong Bros. Tool Co., 308 N. Francisco Ave. CHICAGO.



Will You Accept a Copy of this Meaty Little Book if We Send it Free?

rect

ndex-

oint.

onn

el?

orged



In many shops the job tickets show excessive time spent in chucking the work. This often changes what should be a profit into a loss, for the man's pay is the same for chucking time as for turning time.

Inadequate chucking methods also result in the unnecessary scrapping of much costly material.

"Chucking For Profit" will help you reduce these wastes in your shop—help you add to your net profits. It is full of valuable information for the practical-manon-the-job, the foreman, the master-mechanic and especially for the man who pays the bills.

Tear out this page, write or stamp your name and address below, and mail it to us today. Your personal copy of the book will be sent at once, entirely free of cost or obligation.

The Hoggson & Pettis Mfg. Co., New Haven, Conn.
Makers of the Sweetland Chuck

Name	****************	**********	***************************************	***************************************	••••
Address	******************	••••••	*****************	****************	****

The Turret Punch

as used in the Union Combined Punch, Shear and Rod Cutting Machine is a decided improvement over



the old type of single punch and die. As shown in cut, the operator at all times has the use of four sizes of punch and die, without removing any tools from the

Sla

machine. This is only one of the many good features of this handy machine.

You will find them fully described in our complete catalogue.

Union Manufacturing Co.

26 Cortlandt St., New Britain, Conn.

"Shear Department"

Punches—Shears—Bending Rolls

n


ed

er of ind in at ne of e, ng ne ne

0.

n.

The Beloit Double End Combined Power Punch and Shear



Built in Three Sizes No. 9-A

This combined power punch and shear is of the double end type, having a cutting-off shear on one end and a triple punch attachment on the other. Esher ene, two or three punches at a time may be used by inserting the sliding keys back of the proper punches. An angle shearing attachment can also be furnished if desired.

We manufacture a complete line of punching and shearing machinery in both power and hand tools, also light and heavy duty bending rolls. We do not over-rate the capacities of our machines.

Write for catalogue and prices.

Slater, Marsden & Whittemore Co. Box 444, Beloit, Wisconsin

Reducing Costs



The sure way to increase your profits.

ROCKFORD

Not only lower costs but speed up production. Investigate the sure way.

Write today for Catalog

Rockford Iron Wks. Rockford, III.

Po

ma

WE

inf

M

Ye

T

Eas

A New Rockford Miller



With Power and Hand Horizontal Feed

Rigid, accurate and well proportioned, this miller is especially designed for light manufacturing. Note stiffness afforded overhanging arm by flanged support.

> Range of feeds, 22" x 6½" x 15"

We solicit your inquiry

Rockford Milling Mche. Co. Rockford, III.

Mount Gilead Hydraulic Presses

ay

ur

er ed n.

log

23

1

nd

ell

er

for

g.

ed

by



36 years of successful press building experience is mount assurance of absolute satisfaction from the use of Mount Gilead Hydrautic Presses. Our list not only includes Wheel, Bending, Forcing, Extracting, Baling, Power, Veneer and general Hydraulic Presses, but we also build Intensifiers, Accumulators and Hydraulic Punps.

If your conditions are of the peculiar sort we can make a special press to suit your exact requirements; we have established a wide reputation in this respect.

Sending for interesting data, catalogs and other information will clearly reveal to you the reason why Mount Gilead Hydraulic Presses are best adapted "For Your Pressing Needs."

Write NOW for full particulars

The Hydraulic Press Mfg. Co.

72 Lincoln Ave., Mount Gilead, Ohio

Eastern Office:—Rm. 1105 Z, 39-41 Cortlandt St., New York City Chicago Office:—164 N. Clinton St.

Just The Machine



for those light cuts on details for Firearms, Sewing Machines, Typewriters, Bicycles, Electrical work, and a thousand and one other details used in the manufacture of the various products of the manufacturing world.

Send for descriptive Circular

The Carter & Hakes Co. West Winsted, Conn., U. S. A.

AGENTS-Marshall & Huschart Mchry, Co., Chicago, St. Louis, Indianapolis: Motch & Merryweather Mchry, Co., Cleveland, Detroit, Cincinnasti, Pittsburg.



Burke's No. 3 Bench Millers Are Seasoned Tools

Our system of tests insures accuracy, and our methods of construction make it permanent. Frames and parts are carried 6 to 8 months, after work begins on them, before the completed tools receive our final O. K., and all parts are finished and fitted with exceptional care.

Longitudinal feed, 6 in; traverse feed, 34 in.; vertical motion of knee, 84 in.; table surface, 34x12 inch.


Write for Catalog, which also shows larger and smaller sizes.

The Burke Machine Tool Co.

Conneaut, Ohio

Garvin MILLING MACHINES

The Kind To Buy
Rigid—Powerful—Durable



No. 2-A (All Feeds) Plain Milling Machine - Adjustments - 28x8x19 in.

IMMEDIATE DELIVERY

FOR FURTHER | ASK YOUR DEALER OR INFORMATION | WRITE US DIRECT

Send for circular No. 164


Manufactured by

THE GARVIN MACHINE CO.

Spring and Varick Sts., New York City

CISCO 14 and 16ch

MODERATE IN PRICE



14-in. Swings 15%-in. 16-in. " 17% "

Weigh 500 lbs

You will be al wit

The Cincinnati Iron & Steepar

Makers of 14 18-inch

16th Engine Lathes



POWER

N

W O R K

Cuts Threads 3 to 64


3 to 64

e all with CISCO

tempany, Cincinnati, U. S. A.

"Whitney" Keys and Cutters

"The Woodruff System of Keying"





"Whitney" Keys are made in 114 different sizes and in three grades as follows:

Regular Carbon Steel Keys Regular Carbon Steel Keys Case Hardened Nickel Steel Keys Heat Treated

"Whitney" Cutters are furnished in both Carbon Steel and High Speed Steel, so no matter what your requirements, you will find in our line exactly the Key and Cutter to meet your particular conditions.

erf

Catalog No. 10 Gives Full Particulars


The Whitney Manufacturing Co. Hartford, Conn.

Manufacturers of Hand Millers, High Grade Driving Chains, Keys and Cutters for "The Woodruft System of Keying," Presto Chucks and Friction Tapping Devices.

Heavy Service Milling and a Machine Adapted to that Class of Work

rs

nd



No. 5-B Heavy Plain Milling Machine

Note the massive construction, large pulley to give a powerful spindle drive, and convenient arrangement of all levers and handwheels. These features are found in all B. & S. Constant Speed Drive Machines, and it is due to them that the machines are so successful in heavy milling.


Write us your requirements

Brown & Sharpe Mfg. Co. Providence, R. I., U. S. A.

"Safety First"

Do you want an Emery Grinder that is really safe?

Here it is at last!



Partridge Grinder

With New Safety Guards (Patents Pending)

The new Partridge Guards meet the requirements of real safety, adjustability to the wear of the wheels, and ease of changing the emery wheels. The upper guard is a heavy rlobed steel casting, hinged on a double joint, so that it may be moved in or out, up or down, and always kept at the proper angle and the proper distance from the wheel. The lower guard is made of semi-steel. Either one is adjustable by loosening a nut. Provision is also made for exhaust connection.

I shall be glad to post you, for safety's sake, on the various sizes of Partridge Emery Grinders equipped with these new and dependable guards.

Will you not write by next post?

E. O. PARTRIDGE

2047-9 W. Lake Street, · · Chicago, Ill.

FREE

TO

Designers
Works Managers
Superintendents
Draughtsmen
Machine Foremen
Tool and Jig Designers
Grinding Room Foremen
Boss Patternmakers
Foundry Superintendents
Railway Master Mechanics
Machine Tool Salesmen

and others interested in Reducing Cost of Machine Construction

1912 Edition

Besly's Modern Disc Grinding Practice

Copyrighted

112 Pages

103 Pictures

A valuable treatise on grinding flat surfaces instead of planing, milling, shaping, turning or filing.

Shows the way to Reduced Cost, Increased Output and Improved Product.

Should be in the hands of every live manufacturer.

Write today for your copy of this valuable book and study this important subject. Mailed Free.

Charles H. Besly & Co.

Chicago,

SO


he

er

SO

S. A. Registered

Two Machines For One Price



One floor space, one power bill and one upkeep expense are other advantages given with

No Disadvantages.

Either part of the machine can be used without interfering with the other, and both can be used at the same time. Each is complete in itself, efficient, well made. If you have a drill grinder, the water tool grinder can be furnished plain.

Plain NEW YANKEE Drill Grinders furnished in a multitude of sizes if you are not interested in the tool grinder.

We also make Drill Grinders or Plain Tool Grinders, Surface Grinders, Cutter Grinders, Center Grinders, etc.

Ask for catalog

Wilmarth & Morman Co.

1185 Monroe Ave., Grand Rapids, Mich.



Ransom No. 6-B Grinder

Equipped with Steel Guards And Exhaust Pipe Connections

THESE RANSOM GUARDS are made of steel castings, and have exhaust pipe connections. A thin outer plate is
made removable, so that wheels can be changed without disturbing the guard proper. Guards are slotted, so that they are
easily set back as wheels wear down in diameter. This equipment adds much to the safety of the machine and prevents
loose particles of emery from flying about the shop.

with

nder,

de of

rface , etc.

o.

We make wet grinders and dry grinders; belt driven and motor driven grinders; grinders with or without steel guards; grinders and buffers of various styles and sizes for many purposes. Write for special catalog of a machine to meet your particular needs, or for complete catalog.

Ransom Manufacturing Company
Oshkosh, Wis.

Do You Want to Cut Gears?

If so, our acquaintance might prove profitable



NEWARK GEAR
CUTTING MACHINES
are designed for the automatic cutting of highly
accurate, smooth running
gears in all sizes and for
all purposes. We want
your acquaintance, because we have something to offer you that is
worth while. If you
don't think so, we can 't trade,
but ino 't it just as well to find
out about it'

Won't you start it with a postal?

Newark Gear Cutting Machine Co.



Durant Counters Stamping Presses

No

are INSEPARABLE in up-to-date Shops. Eliminate costly hand-counting, annoying under-runs and wasteful over-runs by using counters which are designed, built and sold right. Their count is absolutely accurate.

Our Catalog No. 19 should be in your hands.

Write for it.

THE W. N. DURANT CO., Milwaukee, Wis.



S?

le

R

INES

auto
ighly

nning

d for

want

be
ome
nat is

you

Co.

rs

ng

nate

bloe

is.

DAVIS KEYSEATERS

Made in Two Sizes

No. 1, Capacity 1/8-in. to 1-in.; No. 2, 1/8-in. to 5/8-in.

Prices Low-Production High

They meet every requirement as a manufacturing machine and can be used economically on large or small lots. Also adapted for other work.

Write for free Treatise on Keyseating

The W. P. Davis Machine Co.



Floor Operated Electric Traveling Crane

do not require an operator in constant attendance and an frequently as well or better adapted for handling materia than the more expensive cab operated. We make all types of overhead cranes and hoists,

The Euclid Crane & Hoist Company

Pulls All That A Belt Will



No springs or delicate parts; operates quielle releases instantly; he plenty of adjustment for wear, a nd will state the hardest usage—eva abuse. Fully protects against dust and din. Used on machine took a nd other machiner where compactues, power and dependable.


er

ty are prime essentials.

The Edgemont line is shown in Catalogue E covering regular and special clutches for all transmission purposes.

Consult us about you clutch problem; we may help you.

The Edgemont Machine Co.



Study the Principle of Gear Generation on the Farwell Hobber

and you will understand why these rapid machines produce such smooth running gears and are replacing other types of gear cutters.

Write for our Gear Hobber Book No. 805-H which tells why and how this is true.

The Adams Co., 913 Hamilton Street, Dubuque, Ia., U.S.A.

ane e and a materi

npany

Wi

or delicate es quietly, antly; he antly; he strent for will stand as executed protected and dirt, hime took machiner, pacatness, ppendablessentials, nont line and lees for all purposes, but your as we may live the set of the set of

Co.

A 12 Inch Saw, \$125.

Screw Feed and Ball Bearing Thrust

Cuts 3x5 or 1-2x0 inch.

Power Friction Feed. Automatic

Knockout.

Large Clamping Table.

20 in., \$250.

CAPACITY: 53% Inch Rounds 12 Inch | Beams



Write for full particulars; they're interesting

The Burke Machine Tool Co. Conneaut, Ohio

Lea-Courtenay



This line of cold metal sawing machinery represents the last word in metal saw design. It has an increase of effective cutting range of 55% over other sprocket driven saws carrying a blade of equal size. Our No. 21 machine carrying 21-inch blade will cut an 81-inch bar or a 20x61inch I beam.

Is this not worth considering?

LEA-COURTENAY COMPANY, Inc.

90 West Street, New York

This machine saves you money!



If your men cut metal by notching and breaking—the old fashioned way —they are wasting your money!

For cutting High Speed and other hardened metals, combination metal and wood, taps, drills, reamers, brass and steel tubing, tees, channels, etc., nothing works so satisfactorily, so quickly and so economically as the

Peter Brothers

Abrasive Metal Cutter

Goes through anything

Machine shown, 12-inch size, \$50. Specially designed for shops cutting large quantity of metal. Cuts at any angle up to 45 degrees. Imported ball bearings. Two wheels furnished — 8-inch size \$16.50. Adjustable gauge. Cuts square, smooth and accurately.

Both machines guaranteed to give satisfaction. Sold by most machinery dealers. If unable to buy locally, write to us. Immediate shipment. Prices F. O. B. Algonquin.

Peter Brothers' Mfg. Co.

104 Railroad Street

metal repremetal

n in-

other

carry-

size.

carry-

0x61-

ring?

Inc.

Algonquin, Ill.

The Lea-Simplex



succeeds where other Cutting-Off Tools have failed, because it is the best Cold Saw on the market. Let us tell you what a long list of satisfied users have to say about the many advantages of the Lea-Simplex. which they have found in this tool.

> Ask us for our literature: a postal will bring it.

Lea Equipment Company

Stenton and Wyoming Aves.,

Philadelphia, Pa.

Saws Duplicate Pieces Automatically The Marvel No. 5 increases results tenfold

It's an improved high speed saw that cuts up the entire bar into duplicate pieces, automatically, without operator's attention. Has a draw-cut stroke and perfect lubri-

cation. Does accurate work with minimum waste of material. All this makes the Marvel a 10 to 1 winner.

Send for descriptive circular of this machine and other Hack Sawa, Punches and Shears

Armstrong-Blum Mfg. Co. 341 N. Francisco Avenue Chicago, Ill.



Save Work

With the Cochrane-Bly Filing Machines

Besides a lot of time and money



othes

best

rket.

long

ve to

van.

plex,

d in

ny

No. 2 Filing Machine

Several Government Amenals use these machines, and they are considered indispensable in the hundreds of factories, tool rooms and machine shops in which they have been installed

Accurate filing by hand is difficult for the expert; with this machine it is easy for the novice. The machine is also much quicker, hence accomplishes more at less cost. For dies, metal patterns, jigs, small tools and tool room work generally, the filing machine is so handy and economical that no one who counts the cost of doing things can afford to be without it. Screw feed for the work is provided, and by replacing the file with a hack saw, the machine will saw out dies so closely that but little filing is needed to finish them.



Beach Filing Machin

It is too good a thing to pass by. Write for Booklet and find out all about it.

Cochrane-Bly Company

Rochester, N. Y., U. S. A.

Also Cold Saws and Automatic Cold Saw Sharpeners

Don't Use Projecting Set Screws Anywhere



Besides a large line of regular sizes, we make to order promptly set screws of any desired point or thread.

Send for Circular No. 13 and sample screw

The Allen Manufacturing Company Hartford, Conn.



Find Out!

Vulcanized Fibre for Machine Parts

may be much better and cheaper than the materials you are using, and it's worth investigation.

Let as figure on these parts for your machines:

Gears Frictions Washers Bushings Thrust Washers Guide Collars Discs Handles Etc., Etc.

Or send us blue prints or samples of special parts.

Write for Catalog, which tells the story of the original Vulcanized Fibre and its uses, and contains price list on stock parts, sheets, tubes and rods.

American Vulcanized Fibre Co., Wilmington,

speed with years and

chine chang giving than

moto

maxin B service capaci arate f

with t ures hauser's

on all explain
Folder
-it wi

RE

RELIANCE ADJUSTABLE SPEED MOTOR

here

ke to

read.

anv

re

ts

neaper

using

ines:

arts.

The Machine Tool Motor

The demand of machine tool users for a real adjustable speed motor, one that in itself gave the adjustments in speed without external attachments, was successfully met over seven years ago by the Reliance Type AS Motor. It was a new and entirely different motor made to meet new conditions in the machine shop. This motor becomes a part of the machine, using a mechanical method for producing the speed changes. Turning the hand wheel shifts the motor armature, giving smooth but quick changes in speed over wider ranges than obtained with any other motor. No electric controller is used.

Any Speed Easily Obtained

Another distinctive feature is that it is truly an any-speed motor. It is not limited to a fixed number of speeds. Any speed within the range of the motor can be obtained exactly to suit any cut on any material with any tool. This means maximum output under all conditions.

Briefly, other advantages of this motor for machine tool strice are: a constant horsepower output, heavy overload capacity and high efficiency at all speeds; starting control sepante from speed changing; simple starting equipment; is reversible and maintains a set speed steadily under changing loads.

How the Reliance Motor with the above desirable features has met the machine tool wer's most exacting demands on all types of machines is fully explained and illustrated in our Folder 10L. Write for a copy—it will interest you.



RELIANCE ELECTRIC & ENGINEERING CO. 1050 IVANHOE RD · CLEVELAND, O.

Pattern Shop Machinery

Special Prices if you refer to this ad.



Band Saws

Chicago No. 00 27 in. Wheels

No. 0 32 " No. 1 36 "



Chicago No. 5 Stationary Table
No. 9 Tilting Table
No. 10

Boring attachment if wanted.



Jointers

8 in., 5 and 6 ft. tables and guard. 12, 16, 20, 24 and 30 in., 7 ft. tables and guard.

Trimmers, Lathes, Core Box Tools, etc.

Ask for full descriptions

Chicago Machinery Exchange 1214-1228 Washington Boulevard Chicago

Steel Handles

Ball Crank, Compound Rest, Ball Lever Handles, etc.

The price is below manufacturing cost of cast or forged handles, and in quality there is no comparison, being accurate, highly finished and



The Cincinnati Ball Crank Co.

Oakley, Cincinnati, Ohio



JUNK

Men do not get the caps Of Tucker's Positive Lock Compression Grease Cups They Won't Jar Off

For Automobiles and all kinds of machinery having excessive vibration. Cup member has in-ternally milled threads to guage limits, ensuring interchangeability. We are prepared to furnish the cup part in pressed sheet brass in the following sizes:

in., 1 in., and 1} in., all 24 pitch thread.

No. 000 hin, pipe shank No. 00 hin, pipe shank No. 0 hin, pipe shank Complete Cups

PATENTED JANUARY 11, 1910

d. fr. tables

nge

Tucker's Oil Hole Covers



Style C. Self Closing





Note the indent of ball valve on styles B & C Style A





Send for Catalogue of full line of Covers for all kinds of machinery having oil holes

W. C. & F. C. Tucker, Hartford, Conn.

A Boy Can Easily Make Your Soft Metal Vise Jaws and Hammers With our Low-Cost Outfits



THE COMBINATION MOULD AND LADLE shown above if for making Soft Metal Vise Jaws. We also furnish them in six sizes for moulding Hammers on the handles. Just melt the metal in the ladis, degrees the handle, and it runs into the mould.

Write for description and close prices

CHAS. H. FIELD, Providence, R. I., U. S. A.

The Victor Surface Table

And Victor Swivelling Vise Make a Mighty Handy Combination



The Victor Surface Table can be used in the base of the Victor Swivelling Visa, as shown in cut, or on bend detached from stem. A general purpose table, especially appreciated by diand patternmakers, etc.

Write for description and special approval offer on the Victor Swivelling visit the vise hand's friend, with or without Surface Table.

Victor Vise Co.

19-25 W. Washington St., Springfield, Ohio

ANNOUNCEMENT

CHAMBERLIN COMPANY

TECHNICAL PUBLICITY
DETROIT, MICH.

takes pleasure in announcing that Oliver W. Hull has joined the organization—to become Secretary of same upon its incorporation, which step is now being taken.

Mr. Hull is well known throughout the middle west, having been associated for many years with A. H. Hitchcock and other Chicago publishers. He brings with him a host of friends—and hopes through his association with the Chamberlin Company to make many more.

Wm. M. Chamberlin, President of the new Company, has been in the strictly technical end of the advertising business for about eight years, and is now handling some of the best technical accounts in the country. The new Company will continue along the same general lines as have been followed by Mr. Chamberlin and his associates in the past—the preparation of Technical Advertisements, Catalogs, Form Letters, Etc.

mers

ix sizes for the lade,

able

ace Table
base of
ling Vise,
on beach
em. A
ble, espe-

ption and offer on lling vise, end, with the Table.

e Co. ton St., Ohio You want and should have modern conveniences in your home.

You should want and have modern methods in your shop.



Greenerd Arbor Presses

are as necessary in your machine shop as a bath tub is in your home.

If you are fifty you can remember when no shops had **Greenerd Arbor Presses** and when you took your bath in a laundry tub in the kitchen in Winter and at the swimming hole in Summer.

Things have changed in your home; but in your shop???

Fourteen sizes of Greenerd Arbor Presses are sold by all dealers and

BOSTON.



Made By

Edwin E. Bartlett 336 A Street,

U.S.A.

Expert Advice

ath

hen ses tub

but

bor

ett

often is of great value, if those who give it really are qualified. Our life work has been the designing and building of Pipe Machinery, and we believe that during those years we have learned quite a little about it.



Peerless, P.D.Q.C. and Duplex

Modern Power Pipe Machines

For 1/4-in. to 18-in. Pipe

That's what we make, in numerous regular and special types and sizes. Tell us what your pipe machinery requirements are, and let us advise you what machine will meet them best, and how and why. Or, if we haven't what you need, we shall frankly tell you so, and will try to put you on the right track.

We shall appreciate your inquires and Shall try to deserve your confidence

Bignall & Keeler Mfg. Co. Edwardsville, Ill.

Pull Down Your Oil Bill

With a Curtis Oil Extractor



thrown away is taken from your chips, shavings and waste, enabling you to use it over and over. You naturally buy less oil because you make a barrel last so much longer. The machine is ball-bearing and well made throus, easy to run and needs but little power. Made in three sizes,

Oil that otherwise would be


No. 400-Capacity: 2 Bushels

Write for details of this fine cost reducer

Albert B. Curtis

25 Union St., -:- Worcester, Mass.

Standard Engine Lathes



Furnished with either standard cone or with 3-step cone double-back-geared, carrying a wide belt, with 18 spindle speeds and wide feed range.

GREAVES, HLUSMAN @ CO.

Washed Plated Dipped



HI

ld be

ena-

ballruout, little

es

step



Pieces
Quickly Dried
In The
Removable Wire Basket

Centrifugal Dryer


The manufacturers make only one profit.

The user profits whenever it is running.

The American Tool & Machine Co.
Incorporated 1864
Boston

Underwood's Portable Tools

Are Big Time and Money Savers



Our Portable Rotary Planer-Six Sizes

This improved, accurate tool often returns its cost in the saving made on a single job. It cuts repair costs in every way -shortens the shut down-allows bolts and parts to remain intact, and reduces the labor to a minimum.

It is adapted to a big variety of work. Faces off locomotive valves, planes any surface up to 42 in, diagonal measurement, and is readily attached to almost any shaped piece. The machine work is perfect, no filing or scraping afterwards, and there's no breaking of port edges. It gives first class, reliable results at rock-bottom cost.

Our comprehensive catalog will interest you. Write us.

H. B. Underwood & Company

1021 Buttonwood St., Philadelphia, Pa.

Plan

16x 6 16 in.

Borin Gas e Gas f Hami

The I 18 in.x 16 in. 2 17 in.x

36x36x Fire be

Heater Also a

Second-Hand Machinery.

Lists of second-hand machinery, either for sale or wanted, will be published Lass of second-matth machinery, chine for sale of wated, will be published under this heading at the rate of 40 cents a line, across the page, each issue, with a minimum charge of \$4.00. Sub-headings are counted as one line, but the name and address of advertiser are not included in the space charged for, Prices and full descriptions of the machines listed will be furnished by the parties offering them for sale. If you do not find what you require, use the slip inclosed with each book to make known your wants to the publisher.

FOR SALE BY

The Sackman Manufacturing Co.,

Akron, Ohio.

Cutter grinder, Hobbs. Dynamo, 50-light, direct current, Myers & Robbins, Dynamo, 36-light, threet current, they Engine, 10 horse power, Springfield. Filing machine, Cochrane-Bly. Lathe, 21" Bradford, with two chucks. Planer, 22"x4" New Haven. Shaper, 15" Hendey. Shaper, 24" Juengst.

All in use and good condition at present time.

FOR SALE BY

The Osborne & Sexton Machinery Co., Columbus, Ohio.

12x 5 South Bend, h. s., cp. rest, 18x 6 Blaisdell, hollow spindle.

20x12 Fifield, comp. rest, (2). 20x12 Hamilton, h. s., c. r., taper, 48x19 Gleason, 36 in, raised, 2018 Bridgeport, h. s., cp. r., taper. 48x19 Gleason PLANERS AND SHAPERS. 24x24x6 Gray. 48x48x20 Belmar, 4 heads,

Miscellane Miscellane Miscellane Boring mill, 50 in. Niles. Boring mill, Niles, 14-20 ft. exten. Drills, 22 and 24 in. Barnes, complete. Gas engines, 10, 15, 25, 40 & 60 h. p. Gas furnaces, Chicago, (2),

Hammers, drop, 300, 750 and 3,000 lbs.

14 in. Steptoe.

in the y way email

oco-

meas-

piece.

wards,

ss, re-

ny

Hammers, helve, Schatz & Dayton. Miller, plain, Grand Rapids No. 1.
Punch press, No. 12 Etna, inc.
Radial drill, 5 ft. Niles, plain.
Rolls, Toledo shovel blanking. Threading mches., Webster & P., (2).

FOR SALE BY

The Randle Machinery Co., ENGINE LATHES.

18 in. x8 ft. McFarlan, 16 in.x8 ft. Steptoe. 17 in.x12 ft. Greaves-Klusman. Lathes complete with face plates, chuck, countershafts and all parts.

PLANERS Mx36x8 ft. Oesterlein, with countershaft and all tools BOILERS

Horiz, tubular, from 36 to 150 h. p. Fire box, from 8 to 150 h. p. Vertical, from 3 to 50 h. p.

1739 Powers St., Cincinnati, O. MOTORS.

All sizes and kinds GAS & GASOLINE ENGINES. 25 h. p. Dean. 8 h. p. Springfield ENGINES

Corliss, from 50 to 650 h. p Automatic, from 15 to 350 h. p.,
Throttling, from 5 to 260 h. p.,
ELECTRIC GENERATORS.
34 to 300 k. w., belted and direct connected, alternating and direct current, with switchboards,

MISCELLANEOUS.

Heaters, tanks, pumps, electrical, saw mill and general machinery, including a complete line of Iron Working Tools.

Also a full assortment of new machinery, Sole manufacturers of the celebrated "Leader" Injectors and Jet Pumps,

FOR SALE BY

707

Be

macl

37" B 800 37" E 72" P 76" B

2" ba

4" ba

1, 2, 3

3 spin 8 spin 4' Pre

5' Fos

36" G. 40" Fla 48" G. 59" spe 66x14" Heald 6x32 N 10x50 N

18x96 B We hav

No. 2 B No. 2 B No. 2 h No. 5 B No. 2 B

22"x4' a 16"x4' F 24"x6' P 26"x7' G 35"x10' S

good s 48"x16"]

table, Is" Hene

16" Quee 22" Smit

24" Goule

21" Hend

2x24 Jone 2x24 Jone 21" Gisho

M" Davis

No. 4 Bar No. 2 Bar

Kraut

Prentiss	Tool	å	Supply	Co., New			Buffalo,	Syracus
				DODING	BEST F	0		

21" bar Bement, horizontal. 2 spindle Foote-Burt, cylinder. King, vertical, 42" Rogers, vertical, two heads, 72" Bullard, 2 heads, Lucas, horizontal.

DRILLS Style F Baker Bros., heavy. 7-spindle Slate, gang.

42" Gang, plain radial. 36", 48" and 60" Bickford pl. radials. 26" and 34" Barnes sliding head. 3-spindle 20" Barnes, gang. Foote-Burt, high speed 6-spindle Gardam, multiple, GRINDERS

No. 2 Osterlein, cutter. 10"x30 ' Landis, universal, ratt & Whitney, vertical surface. Walker, automatic surface. No. 11 Landis, plain. No. 6 Rivett, internal. MILLERS.

Nos. 1, 2, 3 & 4 Cincinnati, universal. No. 5B Becker, horizontal. No. 5 Brown & Sharpe, vertical. No. 3 Owen, plain. No. 12 Brown & Sharpe, plain, 8' Beaman & Smith, planer type, No. 64 Becker, Lincoln. No. 24 Brown & Sharpe, plain, LATHE

ES,
27x12' Pratt & Whitney, c. r., p. d.
30'x16' Fay & Scott, c. r., p. e. l.
30'x16' Fathe & Morse, c. r., p. e. l.
30'x16' Lathe & Morse, c. r., p. e. l.
30'x29' Fay & Scott, c. r., p. e. l.
40'x18' Newark, c. r., p. e. l.
50'x16' Stone lathe.
50'x29' Fitchburg, triple geared.
16-32'x8' Fay & Scott, gap.
22'x18' column facing lathe.
16'x16' automatic threading.
60'' Stevens, pulley.
11'x 4' Wells, anced. 12"x 4' Hendey, r. & f.
14"x 5' Hendey, c. r.
14"x 5' Hendey, c. r.
16"x6 Reed, c. r., p. c. f.
16"x6 Reed, c. r., p. c. f.
16"x 6' Hendy, c. r., p. c. f.
16"x 16' Hendy, c. r., p. c. f.
16"x 15' Bradford, c. r., p. c. f.
16"x15' Bradford, c. r., p. c. f.
26"x16' Bullard, c. r., p. c. f.
26"x12' Putnam, c. r., p. c. f.
24"x12' Putnam, c. r., p. c. f.
24"x12' Reed, c. r., p. c. f.
25"x12' Reed, c. r., p. c. f.
26"x12' Reed, c. r., p. c. f.
26"x12' Putnam, c. r., p. c. f.

60" Stevens, pulley. 11"x 4' Wells, speed. 14"x 5' American, Fox. PLANERS .KS. 42"x36"x10' Hamilton. 42"x42"x14' Woodward & P., 4 bs. 52"x42"x12' Cincinnati. 66"x60"x15' Sellers. 71"x60"x14' Pond.. 86"x72"x33' Pond., 2 heads. 15"x15"x 3' Pratt & Whitney. 24"x24"x 6' Wilson, I head. 24"x24"x6' Cincinnati, motor drive. 39"x30"x10' Bement, 2 heads, 36"x36"x12' Lodge & Davis. 42"x42"x14' Pond, 2 heads.

HAMMERS 40 lb., helve, 300 lb. W. & W. day

25 lb. Dupont, trip. 50 lb. Bradley, trip. 1000 lb, Pratt & Whitney, drop. PRESSES No. 23H Perkins, double acting. No. 2 Hibbard, inclinable. American Can, adjustable bed

acting.
D. G. 74 Ferracute.
SCREW MACHINES.
"Marerican, beavy.
22" Libby, heavy type.
14" 35" Windsor, Fox Monitor.
14" Thatt & Whitney, auto. 2"x24" Jones & Lamson. 14"x18" Pratt & Whitney. No. 3 Garvin wire feed, f. b. g. 2" Warner & Swasey, wire feed. No. 2 Pratt & Whitney, wire feed. No. 2 Pratt & Whitney, wire feed. S Brown & Sharpe, auto.

SHAPERS 15" Ohio, crank. 10tor. 20" Kelley, crank, MISCELLANEOUS. 14" Lodge & Davis. crank. 16" Gould & Eberhardt, motor

Automatic pinion cutter, Slate. Bending rolls, 8', #" cap. Cold saw, 9" Espen Lucas. Plate planer, 19". Punch and shear, double throat. Bremer.
Riveter, No. 80 Grant.
Slotter, 10" Putnam.
Slotter, 15" Dill.
Tumbler, 30"x21" Smith. Dynamometer, 40 h. p. Sprague. Dynamometer, 40 h. p. Sprague. Gas engine, 6 h. p. Otto. Gear cutters, 24", 48" & 64" G. & E. Pipe machine, 3" Jarecki.

FOR SALE BY

The Motch & Merryweather Machinery Company, 707-715 Lakeside Av., N. W., Cleveland, Ohio Branches: Detroit, Cincinnati, Pittsburg.

Below we list a few samples of our stock of rebuilt machine tools. machines may be inspected in Cleveland and are ready for immediate delivery. BORING MILLS.

37" Niles, double swivel head with four face plate jaws, friction feed, very good condition

Bullard, double swivel head, rebuilt by factory, first class condition,

72" Pond, double swivel head, very good condition. 72" Bullard, latest model, first class.

eads.

lain.

type. lain. . r., p. ci p. c. f.

r., p. c.i p. c.L

reared,

p.

18

ng.

P.,414

W. drop drop.

nitor.

"bar Lucas, belt drive, column type 4" bar Bement-Miles horizontal table type boring machine.

DRILL PRESSES.

1.2, 3, 4 and 6 spindle 14" sensitive Foote-Burt drills, 3 spindle Barnes. back geared, power feed, first class.

Aspinde Farnes. Dack grared, power rect, into class 8 spindle Gardam multiple.
4' Prentiss, all gear drive, late model, very good.
5' Fasdick, gear drive, first class condition.
12" Pond, sliding head, heavy machine, old pattern.

GEAR CUTTERS.

8"G. & E., late type, excellent condition (spur).
6"Flather's spur, latest type, first class condition.
6"G. & E. spur, for pinion cutting, very good condition,

"spur and bevel, G. & E., good condition. 6x14" G. & E. spur, with hobbing attachment, very good condition.

GRINDING MACHINES.

Heald No. 60 cylinder grinders, latest model, good as new, (2). 6x32 Norton plain grinder, late model. 10x50 Norton plain grinder, late model

18x% Norton plain grinder, rebuilt at factory, first class condition. LATHES

We have all sizes of lathes from 10 in. to 50 in. in stock.

we have an sizes of Latties from 10 to 1.0 30 dm. in stock.

MILLING MACHINES.
No. 2 Kempsmith, open belt, range 194" by 34" by 16".
No. 2B Brown & Sharpe, plain.
No. 2 heavy Brown & Sharpe, plain, first class condition.
No. 5 Brown & Sharpe, gear drive, rack feed, very good condition.
No. 2 Becker Brainard, vertical, late model, good condition.

PLANERS. 22"x4' and 6' Gray, single swivel head, very good condition. 16"x4' Hendey, friction, very good condition. 21"x6' Powell, single swivel head, latest model, good as new.

35"x1" Gray, single swivel head, first class condition. 36"x10" Sellers, spiral drive, single swivel head, very massive machine, in

good shape. 8 16 Detrick & Harvey open side planer, with two heads and rolling

SHAPERS B" Hendey, friction tilting table, good condition,

B" Queen City, back geared crank, very good,

B" Mills, shifting belt, good as new,

Could & Eberhardt, bk, grd, crank, power down feed to head; good shape

B" Cincinnati, shifting belt, very good, cheap,

Hendey, friction tilting table, very good,

TURRET LATHES AND SCREW MACHINES, I'Krauth & Benninghofen screw machine, same as new. 224 Jones & Lamson, sliding head with collet and bar equipment, 224 Jones & Lamson, fixed head, bar equipment. I', 'gisholt turret lathe, latest model, good as new.

21. Gisholt turret autre, muse with a geared head, equipment, bar work, No. 4 Bardons & Oliver, turret lathe, with geared head, equipment, bar work, No. 2 Bardons & Oliver turret lathe, fitted for bar work, first class condition.

FOR SALE BY

The H. A. Stocker Machinery Co., 566-72 W. Randolph St., Chican 610 Merrill Building, Milwaukee, Wis.

LATHES 14x6 Flather and Draper, comp. rest. 18x8 Flattier and Draper, comp. rest. 16x6 Prentice Bros., compound rest, 16x7 Pratt & Whitney, c. r. & taper. 16x7 Blaisdell, comp. rest and taper, 16"x8" k. & S. q. c. g. and ck. 18"x8" S. & B., q. c. g. and ck. 19x 10 Cincinnati, compound rest. 20x8 Hamilton, q. c. g., comp. rest.

24"x14' Bradford. 26"x10' American, q. c. g. 30x12 Bradford, c. r. and chuck, 30x12 Flather, compound rest. No No

Bol

Cen

ex

Cutt

Char

Airc

Air r

Bean

Bolt ! Car v

Crane

Grind

Hami

906-9

14 Blo

6x6 La

21" Sn

28" Ba

10 Em

14"x 6' 14", 16' 15"x 6'

low s

0. 4

Curt

No. 6 L

Dow

ring 1 Cylinde

arge st ing, B

51 Rey

32x14 Putnam, compound rest, \$2x18 Pittsburg, d. b. g. 32x18 American, comp. r., q. c. g. 36"x20' Walcott, c. r. 50x20 New Haven, compound rest

SHAPERS.

14" Rockford, 16" Juengst. 16 in. Steptoe, single geared crank, 16 in. Walcott, single geared crank,

17 in. Economic, single grd, crast. 18 in, Flather, single geared crask 22 Lodge & Davis. 28 Putnam.

PLANERS. 22x22x5 Whitcomb, good order. 36x36x10 Niles, 2 heads. 26x26x8 Whitcomb, (new, reduced

price.) 26"x26"x6' New Haven 20x30x10 Flather, 3 heads.

tool

22"x 8' American, q. c. g.

36x30x12 Sellers, old style, low price. No. 1 Cincinnati, universal cutter No. 2 Norton, universal cutter and 36x36x12 Gray, 2 heads. 40x38x14 Putnam, old style, lown, 42x42x14 Detrick & H., open side 44x44x12 Pond, 2 heads. 48x48x20 Belmer, 4 heads, rebuilt.

No. 2 Brown & Sharpe, surface. No. 2 B. & S., surface, with Walke magnetic chuck. No. 2 Walker, universal,

MILLING MACHINES.
n. No. 34 Fox, plain.
er, vertical No. 13 Garvin, plain.

No. 2 Hendy, b. g., plain.
No. 2 Kearney & Trecker, vertical attach., all power feeds.
No. 4 Garvin profiler. No. 3 Waltham, bench. No. 3 Fox, plain.

No. 3 Cincinnati, pl., nearly new, No. 14 B. & S. plain, b. g. No. 3 LeBlond, universal. No. 6 Becker, vertical. UPRIGHT AND RADIAL DRILLS, tional radial universal radial, in, cone radial

24 ft. Fosdick National radial 6 ft. arm Western universal radial. 6 ft. Bickford plain, cone radial. Sellers double column drill, 72" be tween uprights, head travels full width of machine.

25 in. Prentice Bros., 51, 110, 12 24" Cin.-Bickford, tap. attch. POWER PRESSES AND PUNCHES.

No. 36 Niagara, geared. Wold horn press. No. 30 Perkins, open back inc. press. No. 2 Walsh, inclinable, o. b. No. 3 Consolidated, inclinable, o. b. No. 50 Crosby, open back press, No. 42 E. Rudolphi & K.arch press.

No. 754 Bliss, single crank. Waterbury, geared, 20" stroke. No. 4 Blake & Johnson, with Il and No. 3 Bliss "Stiles" geared punc, Humphrey single end punch, throat, cap. 14 in 1 in.

in, Cleveland automatic, in. Cleveland automatic, in C SCREW MACHINES AND TURRET MACHINES No. 2 Pratt & Whitney. No. 22 Pratt & Whitney. No. 51 National-Acme automatic. No. 60 B. & S. automatic. 3x36 Iones & Lamson. 14 Turret Lathes, small sizes.

No. 0 B. & S. automatic, BORING MILLS-VERTICAL AND HORIZONTAL. 37 in. Niles, 2 heads. 42 in. Bullard, 1 swivel hd., 1 tur. hd 10 ft. Betts, 2 heads, 80 in. Pond, 2 heads, 34 in. Colburn, swivel turret. No. 2 Fosdick hor., good order.

The H. A. Stocker Machinery Co., -Continued.

GEAR CUTTING MACHINES No. 3 Farwell hobbing machine No. 0 S. & S. hobbing machine spiral attachment.

Reynolds hobbing machine

Chican

huck.

rest.

rest.

q. c. E.

und reg.

d. crank ed crank

e. lown.

en sige

rebuilt.

urface.

th Walks

ly new.

gr., p. fl.

d. & p. f. d.,b.g.,pi

roke.

ed pune

inch,

tic.

tic.

zes.

L.

order

k.

Bolt cutter, It in. Schlenker. Bolt header, in. Bulldozer, No. 5 Ajax. Centering machine. 4 in. Whiton. Cold saw, No. 4 Birdsboro, with six

extra saws. Cutting-off mche., 5" Hurlbut & R.

ichine. 73 in. Cincinnati. spur only.
42 in. Gould & E., spur only.
43 in. Glather, spur only.
45 in. Brown & Sharpe, spur only.
MISCELLAN EOUS.

Hammer, helve, 40 lb. Bradley. Hammer, drop, 500 lb. Standard,

Hydraulic press, 40 ton. Hydraulic press, 100 ton, with pump. Pipe machine, 4 in, Saunders. Punch and shear, No. 5 L. & A. Riveter, 3-16 in, Adt.

FOR SALE BY

Chas, Molitor Machinery Co.,

Air compressors. Air riveters and presses. Beam shear. Bolt and pipe threaders, sgl., dbl. Car wheel boring machine, 50 Circle shear, 48" Niagara. Crane derricks,

Hammers, drop and trip.

Drill press, 3 spindle, heavy, Grinder, universal, No. 1 B. & S.

215 S. Clinton St. Chicago, IIL.

Lathes, 12" Hendy, taper, collets, Lathe, 29"x10' Springfield, tr. gd. Lathe, 24"x10' Springfield, tr. gd. Lathe, 24"x8' Lodge & Shipley, Miller, universal, No. 12 Brainerd, Planer, 26"x28"x8' Pond. Planer, 36"x36"x16', double head, side arm. Punches and shears, heavy.

quaring shear, 5' Turret lathes, Fox, modern, (3).

100 other iron and woodworking machines, motors, etc., etc.,

FOR SALE BY

Brown-McDonald Machinery Co.,

906-908-910 North Market Street, St. Louis, Mo.

BLOWERS 14 Blowers, all sizes, including 2 No. 7 Roots rotary.

COMPRESSORS to Laidlaw-Dunn-G., horiz., steam, 10x11x12 Franklin, boriz, steam, DRILL

LS. No. 33 Reed, 3 spindle sensitive. No. 34 Reed, 4 spindle sensitive. "Snyder, b. g., p. f., (2)

B" Barnes, b. g., p. f., with tap. att. No. 3 GRINDERS. 10 Emery grinders, all sizes,

LATHES 14"x 6' Porter. 14", 16" & 19" New Monarch, (8). 18"x 6' Rockford, comp. rest, hol-16"x 6' Hamilton, 17"x 8' Fineld.

5 speed lathes. low spindle, new. MILLING MACHINES.

No. 10 Kempsmith, plain. Cincinnati slab milling and boring No. 4 Becker-Brainard. machine.

PIPE MACHINES "Curtis & Curtis, power. PUNCH & SHEAR.

No. 6 Long & Allstatter, cap. f in f. alligator pattern
SHEARS.
"power shear.

"" Acme, foot power

MISCELLANEOUS

Shaper, 16" Steptoe. Gear cutter, Brainard. oring mill, 54 in. Powell. Cylinder borer, horizontal. arge stock of Engines, Boilers, Wood Working Machinery, Pulleys, Shafting, Belting, etc. Can fill all requirements. Write us.

FOR SALE BY

22" x 22" x 21" x 18" x 18" x

tyle Vo. 7 No. 1 No. 2 No. 5 24" Ba 28" Sny 2. 3. 8 No. 21 " Da 21" Gis Libbey No. 2 J No. 3 F No. 2 B No. 0 B Cleve No. 14 1 No. 12 1 No. 4 V Boring n Boring n old saw Cutting-

Cutting-

Gas furna Gas furna Gear shar

Hack sav Hammer. Hammer. Hammer, Hammer,

Joseph T. Ryerson & Son, 16th and Rockwell Sts., Chican

	PLANERS.
H 167 H 1004	Sellers, 42x42x6\(\frac{1}{2}\), 2 heads. H 169 Sellers, 42x42x6\(\frac{1}{2}\), 2 head Hamilton 36x36x10. LATHES.
H 767 H 1025 H 1058 H 804 H 1001 H 1027 H 1054 H 1053	Ilx3g, speed.
H 832 H 864 H 892 H1058 H 992 H 995	Dwight-Slate 4 spdl. sens. Quint 6 spindle turret head. Cincinnati 29 in. lever feed. Sibley 20° p. w. & I. feed., Rockford 24" to g. att. Cincinnati 24" to g. att. H 938 Niles 4 ft. radial. Cincinnati 24" to g. att.
H 889 H 812 H 811 H 976 H 802 H 791 H 909	Vankee style B, capacity ½ to ½" drills, Landis No. 1 universal, range 9x24. Brown & Sharpe No. 3 cutter and reamer grinder. Besly No. 10 double disc grinder with clamp. Cincinnati No. 2 universal tool grinder with 220 v., d. c. motor. Valley City No. 9, disc and surface grinder. Gisholt universal tool grinder. PNEUMATIC TOOLS.
H 605 H 981 H 984	Albree riveter, 28 in. reach, capacity 1 in. rivets. Sturtevant 38" blower, 14" square discharge. Root No. 1, positive pressure blower.
H 665 H 636 H 658 H 1066	MILLING MACHINES.
H 958 H 655 H 796 H 744 H 1062	Cleveland § In. automatic screw machine. Pratt & Whitney § In. hand screw machine. Wells No. 140, § In. hand screw machine. Springfield Fox ISus, turret on bed. Gisholt, 187 'turret.
H 953 H 914 H 875 H 765 H 834	Gisholt 21 in. turret, 2 in. hole in spindle. Conradson 24-32 turret Latie. Garvin No. I, #", hand screw machine. Bardons & Oliver, 13", hand screw machine. Pratt & Whitney No. 2, 4", hand screw machine.
H 733 H 918	MISCELLANEOUS. Boring mill, Baush, 32", turret head. Boring mill, 56 in. Niles, 2 heads.

H 213 Boring and drilling machine, hor., 4x27x60 in., Beaman & Smith

Boring and drilling machine, hor., 4827869 in., It Crane, hand power, 5 ton capacity, 15 ft. span. Cutting-off machine, 3 in. Hurlburt & Rogers. Cut-off saw, No. 3-B., capacity 39 in. beams. Grinder, Blount 16" wet. Hammer, American, 28 lb. steam post. Hammer, steam, 400 lb. Chambersburg. Iointer, Towsley 12". Profiling machine, No. 2 Pratt & Whitney. Shaper, Milwaukee 24" crank.

Tapping machine, No. 1 Garvin automatic. H 828 H 672 H 913 H 1059

H1010 H1 980 H 707 H 208

H 1061 H 623

FOR SALE BY

C.C. Wormer Mach'ry Co., 94-96 W. Woodbridge St., Detroit, Mich.

Send for our No. 97 Catalog.

Send for our	r No. W Catalog.
	IMP LATHEC
14"x 6' Monarch.	INE LATHES. 15"x 6' 4" Morris, quick change. 16"x 6' Hamilton, quick change.
4"x 6' Bradford, standard. 14"x 6' Bradford, quick change. 14"x 6' Bradford, taper att.	16" v 6' Hamilton quick change
14" e' Dradford quick change	16"x 6' Hamilton, standard. 16"x 8' Conover-Overkamp, std. 18"x 8' Bradford, standard.
h."- o' Dundford tapes att	16" of Conouge Openhame and
A X & Dradford, taper att.	10 % o' Dandend standard
14"x 8' Bradford, standard.	18 x 8 bradiord, standard,
M"x 8' Hamilton, standard.	28"x14' New Haven, standard.
SECOND-H.	AND LATHES, 15"x 6' Von Wyck, 13"x 6' Flathers.
25"x16' Schumacher & Boye.	15"x 6' Von Wyck,
"x10' Hamilton.	15"x 6' Flathers.
2"x16' Putnam. 2"x12' Walcott & Sons. 11"x11' Lodge & Davis.	14"x 6' Prentiss. 14"x 6' Lodge & Davis. 14"x 6' Packard. 13"x 5' Prat & Whitney.
"x12' Walcott & Sons.	14"x 6' Lodge & Davis.
"x11' Lodge & Davis.	14"x 6' Packard.
18"x 8' Whitcomb. 18"x10' Prentiss. 16"x 6' Blaisdell.	13"x 6' Pratt & Whitney. 11"x 4' Mann. "x44" Seneca Falls.
li"v10' Prentice	11"v 4' Mann
Mary of Disinger	Market Compose Palls
16 X 6 Diaisucii.	MINEDO
GKI	NDERS.
No. 3 Blount. Style B Yankee, drill. No. 70 Heald, internal. No. 12 Modern, plain.	No. 24 Landis, crank.
Style B Yankee, drill.	Fellows gear cutter.
No. 70 Heald, internal.	No. 1 Gould & Eberhardt,
No. 12 Modern, plain.	Style WTA American.
PRI	ESSES.
No. 53 Fowler, flywheel.	No. 50 Perkins o. b. i.
No. 2 Stiles & Parker.	No. 13 Greenerd arbor.
No. 5 Eaton, open back,	No. 13 Greenerd arbor.
go, o gaton, open back.	DD POCEC
DRILL	No. 31 Toledo, power. PRESSES. 14" & 20" Leland, heavy duty.
"Barnes, stationary head, bk. gd.	14" & 20" Leland, heavy duty.
	8 Aurora radial.
3" Snyder.	4-spindle Pratt & Whitney.
2. 3, & 4-spdl. Woodward & Rogers.	3 & 6-spindle Fox.
MILLING	MACHINES.
No. 4-B Becker vertical.	No. 1 Grand Rapids plain.
No. 2 Davis & Egan plain	No. 1 Cincinnati, plain.
TURRET	MACHINES.
M" Davis boring and forming.	No. 5 Foster
01" Cichelt	No. 4 Poster
2" Gisholt, Libbey full swing,	No. 4 Bardons & Oliver.
M. a T	No. 2 American universal.
No. 2 Jones & Lamson.	No. 2 American universal. 19" Pratt & Whitney plain.
SCREWI	MACHINES. No. 3 Foster geared.
No. 3 Hartford antomatic.	No. 3 Foster geared.
No. 2 Brown & Sharpe.	No. 2 Pratt & Whitney, plain.
No. 2 Brown & Sharpe. No. 0 Brown & Sharpe, plain.	No. 2 Pratt & Whitney, plain. No. 1 Pratt & Whitney, plain 1" Cleveland automatic. ND SHEARS.
"Cleveland automatic.	I" Cleveland automatic.
PUNCH AT	ND SHEARS
" throat, double end.	94" blade, alligator.
No. 14 Buffalo, hand.	Diade, anigator.
DITTERDO AN	No. 6 Pond, hand.
We to Della DUFFERS AN	ID POLISHERS.
No. 12 Builders.	No. 2 Norton.
No. 4 Vulcan.	No. 3 Diamond.
MISCEL	LANEOUS.
Boring mill, vertical, 30 in. Bullard.	Hot air pumping engine, No.
Boring mill, vertical, 34 m. King.	Economy.
Cold saw, No. 5 Cochrane-Bly.	Keyseater No 6 Mitta & Marrill
Cutting-off mch., No.2Hurlburt & R.	Kaysanter No. 9 Mitte & Marrill
Cutting-off mch No.4Hurlburt & R.	Economy. Keyseater, No. 0 Mitts & Merrill. Keyseater, No. 2 Mitts & Merrill. Milling and drilling machine. No.
	manufacture and
Gas furnace, No. 6 American.	Knight.
ous turnace, No. 18-A Acme.	Pipe machine, to 3" No. 7 Jarecki
bear shaper, 36 in. Fellows.	Shaper, 16 in. Kelly, crank,
Jastumace, No. 6 American. Jastumace, No. 18-A Acme. Garshaper, 36 in. Fellows. Hack saw, power, No. 1 Sterling. Hammer, steam, No. 3 Bell. Hammer, steam, No. 277 Erie.	Shaper, 16" Smith & Mills, crank,
Hammer, steam, No. 3 Bell.	Speed lathe, 11"x4' Blount.
Hammer, steam, No. 277 Erie.	Pipe machine, § to 3" No. 7 Jarecki Shaper, 16 in. Kelly, crank. Shaper, 16" Smith & Mills, crank. Speed lathe, 11"x4" Blount. Spinning lathe, 20" No. 6 Bliss.
Hammer, upr. strap, 75 lb. Bradley.	Tapper, No. 4 St. Louis.
Hammer, upr. strap 125 lb. Bradley.	Tapper, horizontal, No. 1 Garvin.
	i Aapper, normonian, 200, i Garvin.
	4

Smith

, Chicago

2 heads. lell, little , q. c. g. q. c. g. C. E. lathe. head, ing head n., adi. M d. h speed

notor.

8 univ. 2 plain. 34 x9x lb. 4 univ.

FOR SALE BY

Niles-Bement-Pond Company, 111 Broadway, New You Located at Chicago, Boston and New York.

Send for Catalogue No. 18.

13x5 Sebastain. 13x6 P. & W., r. & f., taper. 14x5 American, brass, Fox att. 14x6 Bradford, compound rest. 14x6 Bradford, comp. rest, taper 15x7 speed lathe. 16x6 Prentice, compound rest. 16x6 Pratt & Whitney geared head tool room lathe 16x8 LeBlond, compound rest 16x8 Prentice, compound rest. 16x8 Hendey, compound rest, 16x10 P. & W., r. & f. & t. 18x6 Pond, turret tool post. 18x7 Pond, turret tool post.

14x5 American, square arbor. No. 3, 2 13-16 in. Niles screw mche. 2x24 Jones & Lamson. 3x36 New Model P. & W.

21 in. Gisholt. turret. 24-27 Conradson semi-automatic tur-

ret, 2 3-16 in. hol. sp. 28 in. Milwaukee turret, 4 in. hol. sp. 39 in. tur. hd. b. & t. mill, Colburn. 50 in. Niles pulley borer, 7 ft. Pond b. & t., 2 heads, 8 ft. Pond b. & t., 2 heads,

13 in. 1 sp. sensitive, motor d., 110 v. 10 in. 2 sp. sensitive, Slate. 10 in. 3 sp. sensitive, Slate.

10-16 ft. Niles, like new

10 in. 3 sp. sensitive, Signourney.
14 in. 4 spindle W. & R. sensitive.
14 in. 4 spindle, style A. Barr.

2 spindle dbl. column sen., Langelier, 17 in. 4 sp. gang, Jones & L. 29 in. No. 23 Foote Burt high duty. RADIAL DRILLS.

2) ft. semi-radial, Hilles & J.
4) ft. semi-radial, Barr.
4 ft. Niles, plain.
4 ft. Niles, univ.
5 ft. Niles, plain.

No. 1 Duplex Van Norman.
24x7 table, plain, Becker,
24x8 table, plain, Becker,
24x9 No. 2 Cincinnati plain, b. g.
Single ap, profiler, 21x24 in, table,
Garvin,
P. & W. spline miller,
P. & W. Starper, Power Starper,
P. & W. Spline miller,
P. & W. Spline

10 in. crank shaper, P. & W.
10 in. crank shaper, Miles.
12 in. crank shaper, Bement.
20" Bement, 220 v. motor, traveling

head, like new.

LATHES 19x8 Pond, compound rest. 20x10 Flather, c, r. 22x12 Niles, with taper.

22x13 Niles, with taper. 22x22 Niles. 26x12 Pond, comp. rest. 28x12 Pond, compound rest.

28x12 Fond, compound rest, 30x14 Niles c. r. 32x12 Pond, compound rest, 36x17 Pond, 220 v.motor drive, tage, 36x18 Bement, comp. r., tri, grd, 26x28 Bement, comp. r., tri. gnl, 40x16 Bement, b.g., not screw cuting 42x22 Niles, comp. r., tri. grd.

42x30 Putnam, comp. r., tri. grd. 44 in. P. & W. pulley lathe. 18x8 Flather, quick change, SCREW MACHINES, TURRET LATHES, ETC,

in. Hartford automatic pin madie, in P. & W. automatic screw med. machine. in. Acme old style 4-sp, automatic.

in, single turret Spencer automatic 21-32 in, No. 2 Brown & Sharpe auto matic screw machine.

BORING MACHINES. 2 in, sp. Kelly hor, bor, and drill, 34 in, sp. Bement hor, bor, & drill, 4 in, sp. Betts, hor, bor, & drill, 96 in, swing x10 ft. centers bor. & ho ike new. ing; weight: about 43,000 lba.
UPRIGHT AND SENSITIVE DRILLS.
itive, motor d., 110 v. | 30 in. sli. head. Gould & Eberhalt.

36 in, sliding head, Gould & E. 3 sp, Niles rail drill, arrgd, for motor 4 spindle Bement, multiple, Il & between housings

No. 11 multiple drill, P. & W.
10 sp. adjustable R. & W., capacity
12 in, holes in 37 in, circles, beiter motor; weight: 30,000 pounds.

5 ft. plain, motor, Pond. 5 ft. 6 in, universal, Niles. 6 ft. 10 in. semi-universal, Niles. 7 ft. 6 in. full universal, Niles.
Univ. portable radial, Prentice,
MILLERS AND GEAR CUTTERS.

18 in. double tray, head, Cincinnation, triple grd, rack, Cincinnation 12in. crank slotter. Bement.

14 in. crank slotter, Niles. 18 in, crank slotter, Bement. 46 in.ca Niles d

22x 22x6 24x24x6 26x26x7 26x23x1 30x30x6 26×26×2 36x36x 8 36x36x2

> Bar cut-Bending horizo and cl Cut-off lut-off Engine. Grinder.

E. G. E

To redu ments Automa Automat Bolt poi Boring r Bulldoze Cutting-Disc gris Drill, 3 s Drill, 4 s Engine l Engine l

Engine 1 Engine l Extension Flat turr Gear and Gear sha Gear sha Grinder, Grinder, Lathe, 14 Lathe, 14 Lathe, 18 Lathe, 24 Miller, h Miller, N Miller, p Miller, p Press, N Punch an

Radial di Screw pre Screw pr Shaper, c Wire stra Many oth and des

Niles-Bement-Pond Company-Continued.

RAILROAD MACHINERY.

46 in.car wheel lathe. Bement. Bement double axle lathe. Niles double axle lathe. Putnam double axle lathe, ex. heavy. PLANERS

42x42x12 Woodward & P., 4 hds, 22x22x6 Harrington. 24x24x6 Powell. 26x26x7 Niles, heavy type. 42x42x20 Miles, 3 hds. 48x48x16 Pond, 4 hds., heavy, 220 v. 26x23x16 Miles, 2 hda, 30x30x6 Pond, 1 hd. 48x48x20 Sellers, 3 hds. 48x48x34 Pond Wks. N-B-P, 4 hds. 30x30x6 Pond, 1 nd. 30x30x24 Sellers, 2 hds. 32x32x14 Pond, 2 hds. 36x36x 8 Niles, 1 head,

50x50x18 Gleason, 2 lids, 72x60x20 Niles, 2 lids, 86x86x35 Pond, 4 lids, 36x36x20 Pond, 3 hds. MISCELLANEOUS

Yes

tape,

rd. cutting.

rd.

achine. r mach. C SCIEN

omatic. omatic, oe auto-

irill. drill. . & fac-15. rhank. E. motor. V. apacity belter ds.

les. ž. ce. E. harm. cinesti. mati

Grinder, plain, 5x32 in. Landis. Grinder, univ., 10x30 Landis. Grinder, 12x96 in. Springfield. Bar cut-off saw, 22" diam. blade. Bending and straightening machine, horizontal, for 10 to 15 in. beams and channels. Grinder, tool, Gisholt. Cut-off machine, 21 in. P. & W. Cut-off machine, 42 in. Starr. Saw grinder, automatic, Spring wind and cut-off machine. Engine, 28 Watertown auto., for springs 7-82xt in. long Grinder, drill, 3 in, Sellers, to 1 in, long, 1-16 in, between coils,

FOR SALE BY

E. G. Eldridge Machinery Co., 29-31 N. Jefferson St., Chicago, Ill.

To reduce our large stock of used machinery, we are offering special induce-

E. G. Eldridge Machinery Co., 29-31 N. Jefferson St., Chicago, Ill. To reduce our large stock of used machinery, we are offering special inducements on the following:
Automatic & Gricty, 4 spindle,
Bolt pointer, 2" Acme, style A,
Boring mill, large horizontal, Newark,
Bolt pointer, 2" Acme, style A,
Boring mill, large horizontal, Newark,
Bulldozer, steel body, No. 1 Ajax, high speed, 5" stroke.
Cutting-off machine, 2" Warner & Swasey.
Dill, 4 spindle gang, No. 1 Ajax, high speed, 5" stroke.
Cutting-off machine, 2" Warner & Swasey.
Dill, 4 spindle gang, Baker, high duty,
Drill, 4 spindle gang, No. 3 Garvin, 4" capacity.
Engine lathe, 12" See Ames, 2" blocks.
Engine lathe, 12" See Ames, 2" blocks.
Engine lathe, 2" Xir Blaisdell,
Extension gan lathe, 12" 22" Sef Barnes.
Plat turret lathe, 2" Xir Blaisdell,
Extension gan lathe, 12" 22" Sef Barnes.
Plat turret lathe, 2" Xir Blaisdell,
Extension gan lathe, 12" 22" Sef Barnes.
Cear ahaper, belied, 16" Hendey.
Gear ahaper, belied, 16" Hendey.
Gear ahaper, belied, 16" Hendey.
Gear ahaper, belied, 16" Londson; write for photo.
Lathe, 14" Sef Londson, Springfield, planer type, 41½" bet. housings.
Grinder, universal face, Johnston; write for photo.
Lathe, 14" Sef Monitoonb-Blaisdell, 3 step cone, double back gear.
Lathe, 14" Sef Merican universal fox of Monitor.
Miller, hand, small, power teed.
Miller, plain, No. 2 Brainard, back gear, div. head.
Miller, plain, No. 3 Pratt & Whitney, Lincoln type.
Miller, plain, No. 3 Pratt & Whitney, 4" table, power feed.
Press, No. 3 R. & K. double acting, open back inclinable, 3" stroke.
Screw press, And, R. & K. quick acting, solid back.
Screw press, And, R. & K. quick acting, solid back.
Screw press, And, R. & K. quick acting, solid back.
Screw press, And R. & K. quick acting, solid back.
Screw press, And R. & K. quick acting, solid back.
Screw press, And R. & K. quick acting, solid back.
Screw press, And R. & K. quick acting, solid back.
Screw press, And R. & K. quick acting, solid back.
Screw press, And R. & K. quick acting, solid b

Wire straightening and cutting-off machine, 3-16" Shuster, "ADT" model. Many other machines, small tools, attackments, belting, etc. Write for list and description.

FOR SALE BY

108-

Revi

14"x 14"x 16"x 16"x 16"x 18"x 18"x 20"x

1" Cl No. 2 16" W 16" B: 16" H No. 1 Prenti

No. 2 No. 4 15" dr 20" Ca 16"x16 17"x17

24"x24

28"x24

No. 2 1 No. 3

#" Acn

D2 Fer

No. 19 No. 21

No. 31

Nos. 52

No. 41

No. 4 A

No. 17 Barnes

Alligate Blower Boring Boring : Broachi

Chuck, with 2

Exhaus

Exhaus

Floor cr Gas eng

W. L. Perkins Machinery Co. 30 Church St., New York

LATHES 28"x16' New Haven, c. r., hol. 28"x15' Sellers-compound rest. 32"x12' Fitchburg, compound rest. 16"x 8' Reed, plain rest, hol. spdl. 18"x 7' Pond, compound rest. 22"x10' Harrington, compound rest. M"x 8' Harrington, compound rest. 32"x14' Harrington, compound rest.

MISCELLANEOUS Planer, 25"x25"x56" Sellers, Planer, 32"x32"x8' Pond, Planer, 36"x36"x26' Miles, Slotter, 12" Sellers, all feeds, Boring machine, hor., No. 2 Bement. Nut tapper, 6-spindle Acme. Pipe machine, 4" Jarecki. Planer, 20"x20"x36" New Haven.

FOR SALE BY

410 House Building, Pittsburg, Pa. McCoy & Brandt,

McCoy & Brandt,

Will make low prices on following tools to move quickly:

Bending rolls, 6 * 4 " plate,
Bending rolls 8 Badger, 4 " plate,
Bending rolls 8 Badger, 4 " plate,
Bending rolls 8 Badger, 4 " plate,
Bending rolls, 8 " Newbold, 4" plate,
Bending rolls, 8 " Newbold, 4" plate,
Borten, horizontal, 33-16" spindle,
Boring mill, 2" Niles.
Boring mill, 2" Niles.
Buildozer, No. 2 and No. 5 W.W.
Compressor, No. 5 ajax.
Compressor, No. 4 and No. 5 W.W.
Compressor, No. 4 by Dayton duplex,
285 cu. ft,
Drill, sensitive, 2-spindle Gardam,
Forging machine, 19" National,
Forging machine, 19" National,
Forging machine, 19" National,
Turret lathe, No. 4, & L.
Turret lathe, No. 2 W. & S., H"Ls. Pill, sensitive, 2-spindle Gardam, Forging machine. It' National. Planer, 24"x22"x6' New Haven.

FOR SALE BY

Frevert Machinery Co., 38 Vesey St., New York City

GRINDERS No. 3 B. & S., surface. 26" Diamond, roll and spindle. 24" Yankee style A., twist drill. 24" Heald style C., twist drill. No. 2 Diamond, wet tool. No. 1 Cin'ti, plain cutter & reamer

DRILLS. 4-spindle Dwight Slate.

4" capacity bench electric drill, 3' arm Gang radial. 60" post drill, b. g., wheel feed.

POLISHING HEADS. No. 22 Bridgeport, 14". 12" Diamond. No. 6 Green electric,

R. O. polishing machines, No. 11 Diamond.

SCREW MACHINES.
7 16" Creveland automatic.
14" B. & O. No. 3. "P. & W., hand.
"Prentiss, hand.
3-32" No. 1 B. & S. automatic

SHAPERS AND PLANERS.
Ink shaper.
Ink, shaper 16" Smith & Mills crank shaper. 10" Cincinnati triple gd, shaper. 26"x26"x8' P. & W., I hd, on rail.

MISCELLANEOUS MEOUS.
Lathe, 15" brass finishers, Fox.
Miller, No. 2 Putnam, univ., b. 8
Miller, No. 3 P. & W., Lincoln Gear cutter, Whiton automatic. Gear & pinion cutter, Slate auto. Hammer, power, 50 lb. Forsythe. Hammer, power, 30 fb. Forsyffle. Hammer, power, 100 lb. Williams-W. Lathe, 12"x5' Davis, s. c., el. rest. Lathe, 14"x8' Robbins, s. c., pl. r. Miller, hand, Chicago. Profiler. No. 3 Garvin. Riveter, " Adt rotary.

FOR SALE BY

The Lake Erie Machinery & Supply Co., (Machinery Dept.) 408-412 Frankfort Ave., N. W. Cleveland. O Cleveland, Ohio.

Revised list of Second Hand Machinery at reduced prices. Write for prices, LATHES.

York

spå.

t.

rest. d rest.

E. Pa

ren. nat. oat

x1".

12x16*

pson. head

Davis.

1"h.s.

k Cir

111

11.

er.

ox. b. g.

stand

LAT

11"x 4' Star, milling att., 2 chucks,
4"x 6' Bradford, h. s., c. r., chuck,
4"x 6' Bradford, h. s., c. r., chuck,
4"x 6' New Haven,
16"x 6' I. Johnson, taper att.
16"x 6' Blaisdell,
16"x 6' Blaisdell, h. g., v., c. f.,
18"x 6' Blaisdell, h. g., p. r., taper.
20"x 6' W. & W. q. c. fd., h. s., new,
20"x 6' W. & W. q. c. fd., h. s., new,
20"x 6' W. & W. ac, c. fd., h. s., new,
20"x 8' W. & W. ac, c. fd., h. s., new,
20"x 8' W. & W. ac, c. fd., h. s., new,
20"x 8' W. & C. fd., h. s., new,
20"x 8' W. & W. ac, c. fd., h. s., new,
20"x 8' W. & W. ac, c. fd., h. s., new,
20"x 8' W. & W. ac, c. fd., h. s., new,
20"x 8' W. & W. ac, c. fd., h. s., new,
20"x 8' W. & W. ac, c. fd., h. s., new,
20"x 8' W. & W. ac, c. fd., h. s., new,
20"x 8' W. & W. ac, c. fd., h. s., new,
20"x 8' W. & W. ac, c. fd., h. s., new,
20"x 8' W. & W. ac, c. fd., h. s., new,
20"x 8' W. & W. ac, c. fd., h. s., new,
20"x 8' W. & W. ac, c. fd., h. s., new,
20"x 8' W. & W. ac, c. fd., h. s., new,
20"x 8' W. & W. ac, c. fd., h. s., new,
20"x 8' W. & W. ac, c. fd., h. s., new,
20"x 8' W. & W. ac, c. fd., h. s., new,
20"x 8' W. & W. ac, c. fd., h. s., new,
20"x 8' W. & W. ac, c. fd., h. s., new,
20"x 8' W. & W. ac, c. fd., h. s., new,
20"x 8' W. & W. ac, c. fd., h. s., new,
20"x 8' W. & W. ac, c. fd., h. s., new,
20"x 8' W. & W. ac, c. fd., h. s., new,
20"x 8' W. & W. ac, c. fd., h. s., new,
20"x 8' W. & W. ac, c. fd., h. s., new,
20"x 8' W. & W. ac, c. fd., h. s., new,
20"x 8' W. & W. ac, c. fd., h. s., new,
20"x 8' W. & W. ac, c. fd., h. s., new,
20"x 8' W. & W. ac, c. fd., h. s., new,
20"x 8' W. & W. ac, c. fd., h. s., new,
20"x 8' W. & W. ac, c. fd., h. s., new,
20"x 8' W. & W. ac, c. fd., h. s., new,
20"x 8' W. & W. ac, c. fd., h. s., new,
20"x 8' W. & W. ac, c. fd., h. s., new,
20"x 8' W. & W. ac, c. fd., h. s., new,
20"x 8' W. & W. ac, c. fd., h. s., new,
20"x 8' W. & W. ac, c. fd., h. s., new,
20"x 8' W. & w. ac, c. fd., h. s., new,
20"x 8' W. & w. ac, c. fd., h. s., new,
20"x 8' W. & w. ac, c. fd., h. s., new,
20"x 8' W. & w. ac, c. fd., h.

1" Cleveland automatic.
No. 2 Pratt & W. plain turret lathe.
H" Pratt & Whitney turret lathe.

"Walcott & Wood, triple gd., new, 16" Barker, back geared crank, new. 16" Walcott, b. g. crank, ccmplete. 16" Hendey and Smith & Mills.

1 Prentice Bros. radial. 4' arm. No. 1 Prentice Bros. rausa., (2). 18" Dwight Slate 4-spdl. sensi., (2).

Prentice 4-spindle sensitive. No. 2 Garvin, 3-spindle gang. No. 4 Garvin, 4-spindle gang. 15" drill press. 20" Canedy-Otto drill press.

16"x16"x24" Belden, 1 head, 17"x17"x18" Whitcomb, crank, 28"x24" 5" Powell, 28"x24" 6' L. W. Pond, MILLING MACHINES, No. 3 Becke

D2 Ferracute, plain. No. 19 Bliss punch press, No. 21 Bliss, punch, o. b. i., (6).

No. 31 Bliss, punch pr., o. b. i. Nos. 52 & 71 Bliss, straight side, pl. No. 41 Toledo plain power press. No. 4 American Can, plain, o. b.

GRINDERS No. 1 Thompson univ., motor drive. Barnes, wet tool.

MISCELLANEOUS Alligator shear. Blower, No. 8 Sturtevant Monogram. Boring bars, (9).

noring Darz, (9),
Boring machine, vertical, American,
Broaching mach., Waterbury-F.
Chuck, 24" Westcott combination,
with 2 sets jaws, pract. new.
Exhauster, No. 3 Champion, new.
Exhauster, hire 28"; one 50".
Floor crane, 13 ton Franklin.
Gas eneing, 43 p. P. Fairbarks, Morse. Gas engine, 3 h.p. Fairbanks-Morse.

ES, 20"x10' engine lathe. 21"x16' Gleason, plain rest, chuck. 24"x26' New Haven. 24"x28' Bradford shaft lathe, h.s.,c.r. 30"x 16' Lowell. 22"x22' Enterprise. 34"x22' Enterprise. 34"x22' Enterprise. 38"x16' You'll lathe. 88"x20' Niles bull lathe. 40" Kilby oulley lathe.

88"x20' Niles buil lathe, 40" Kilby pulley lathe, 9" foot power lathe, 5CREW MACHINES, 24" W. & S. Monitor turret lathe, 16"x 6' Lodge & B. b. g. Fox lathe, No. 00 B. & S. auto, screw machine,

24" Hendy, triple geared, 20" W. & W. high spd., b, g., crank, 26" Lodge & Davis, triple geared. " Steptoe, triple geared.

hand drill press, complete. 21" Hoefer 6-spindle, complete. 22" Lodge & Davis, sliding head. 36" Baker Bros., complete. Gardam, multiple spindle.

Foote-Burt, multiple spindle. No. 1 Burke, bench, with Jacobs ck. PLANERS

E.K.S. 40"x40"x10' Steptoe-McFarland. 48"x48"x20' Belmar, 4 heads. 60"x60"x18' Pond, 3 heads.

No. 2 Pratt & Whitney, plain.
No. 3 Kempsmith, plain.
No. 2 Hendy Norton, universal.
NUT TAPPERS AND BOLT CUTTERS.
If "Acme 6-spindle nut tapper.

3" Reliance bolt cutter. PRESSES

No. 7 Niagara, plain, o. b. i. No. 7 Niagara, pann, o, p. 1. G. A. Crosby punch press, No. 1 Stiles punch press, No. 2 G. A. Crosby punch press, No. 1 Stiles & Parker punch press, No. 3 Stiles b. g. punch press, with 3 extra bolster plates.

24" Leland. wet tool. 24"x 7' Springfield auto. surface.

Grinders, lathe center, Gem. (6). Grinder, tool post. 110 v. Hisey, d.c. Hack saw, 6" Challenge.

Hadder, steam, 500 lb. Bell Keyseater, No. 6 Morton, 4 cutters, Keyseater, No. 2 Davis, Magnet wind'g latte, high-speed, Punch & shear comb., 4' Keene.

Slotter, vertical, 12". Tapping mchs., No. 2 Garvin auto. Welder, port. acetylene, Economy.

FOR SALE BY

F.P.S Air cor West Belting lutch Exhaus inlet: Grindst Hamme doubl athe. Lathe,

Rumei

20"x 9' 26"x12' 20"x12' 22"x10' 22"x10' 24"x12' 24"x24]

22 Bar 24" Mech 24" Ham

26" Bick

26" Barn 28" Sible

22" Goul 12" Sprin

12" Lodg

No. 14 K

No. 2 Ke No. 3 Ke

No. 3 Cir

No. 32 K

24"x24"x 26"x26"x 26"x26"x

30"x30"x

Boring m Boring mi Boring mi

Cutter and

Cutter & r

Cutter & Cutter an Norton. Grinder, p Keyseater

Keyseater

Keyseater.

Lathe, me

Monitor Lathe, 18":

O. L. Packard Machinery Co.,			Milwaukee, Wit
LAT	THES.		
14"x 6" Blaisdell lathe, solid spindle, 14"x 6" Flather, hollow spindle. 14"x 6" Hamilton, c. r., powercross fe 18"x 6" American, compound rest, ho 24"x12" Blaisdell lathe 24"x12" Aldrich & Calver lathe 24"x12" Aldrich & Calver lathe	eed, hol llow spi	low spin	dle,
16" turret lathe, 18" Lodge turret lathe, power feed, 1" screw machine, Dreses, nearly new	*********		
Pipe machine, No. 8 Merrill. Planer, 25"x25"x16" Fitchburg. Screw machine, 4" Pratt & Whitney. Shaper, 3 spindle, wood top, Shaper, No. 24 Clement, wood top, Shaper, Indiana, 2 spindle, no table,		***********	450 273 60 128
Pipe machine, No. 8 Merrill Planer, 25"x25"x16" Fitchburg Screw machine, 4" Pratt & Whitney Shaper, 2 spindle, wood top. Shaper, No. 28 Clement, wood top.	LANEC	OUS.	

FOR SALE BY

A. D. White Machinery Co., 108-114 N. Jefferson St., Chicago

LATHES. 18x8 American, latest pat, 18x10 Schumacher & B., 16 in. ck. 13x5 P. & W., taper and chucks. 14x5 Reed, taper, 2 chucks, 14x6 Porter, compound rest. 16x6 Flather, 2 chucks. 24x10 Lodge & Shipley, qk. change. 28x14 Fifield. 18x8 Schellenbach, q. change. 32x14 Porter, 20 in. chuck. DRILLS 18 in. Blaisdell. 28 in. Bickford, sliding head. (4). 30 in. Kerkhoff, sliding head. 32 in. Bickford, sliding head.

40 in. Aurora radial. 3 ft. Bickford radial, cheap. 30 in. Bickford, sliding head.

PLANERS. 24x 6 Pond, 1 head. 32x 8 Betts, I head. 25x 6 Sellers, spiral drive, 26x 6 Gray, 1 head, 26x 8 Gray, 1 head (2), 28x 8 Gray, 1 head (2). 36x12 Cincinnati, 2 heads. 38x10 Gray, 1 head, fine. 52x25 Betts, 1 head.

SCREW MACHINES AND TURRET LATHES. 3 Pearson screw machine. | 3 in. P. & W., automatic. 16 in. No. 3 Pearson screw machine.

No. 24 Pratt & Whitney sc, mche.

in, Cleveland, automatic.

in, Pratt & Whitney, automatic(4). 13 in. Dreses turret lathe. 21 in. Gisholt, rapid traverse. 24 in. Gisholt, rapid traverse. PUNCH PRESSES.

No. 3 Niagara, inclinable, No. 75‡ Bliss, 4 in, stroke, No. 31 Walsh, gap, No. 15 Waterbury, geared, No. 2 Ferracute, (3). No. 3 Ferracute, (3).
No. 3 Ferracute, double action.
No. 16 Walsh, inclinable, (2).
No. 19 Bliss, inclinable.
No. 20 Thiem inclinable.

Hammer, steam drop, 5000 lb. Eric.

MISCELLANEOUS. Keyseater, No. 2 Catlin. Keyseater, 16 in. Morton. Miller, No. 12 Garvin, (3). Boring and facing machine, No. 1 Beaman. Grinder, cutter, H. G. Barr. Hammer, power, 35 lb. Justice. Hammer, power, 50 lb. Dienelt. Blowers, No. & Garden City, (2) Riveters, 3-16 in. Adt. Shaper, 14 in. P. & W., univ. v Shapers, 16 in. Smith & Mills.

Did you get our new "Yellow Book"?

FOR SALE BY

F. P. Schlelein Mchy. Co., 114-116 W. Park Way, N. S., Pittsburgh, Pa.

Air compressor, steam, 9\"x9\"x10" Westinghouse, with tank.
Belting, 10" double leather, 35 ft.
Clutch pulley, 20"x8". 2" bore, iron,
Exhaust fan, No. 9 Champion, 16"

inlet and outlet. Grindstone frame, iron, stone 28x3". Hammer, steam, 600 lb. Pittsburg.

double frame.

Lathe, bench, 7" Goodell-P., pwr.

Lathe, engine, 10"x4' Sebastian.

Lathe, engine, 14"x6" Monarch, Lathe, turret, No. 4 Bardons & O. Lathe, turret, 12" Lodge & Davis, Motor, 2 h. p. Lundell, 560 v., d. c. Planer, pony, 24"x6" Fay & Egan, Pressure blower, No. 4 Buffalo, 5" Outlet.

Outer, Radial drill, portable. No. 4 Dallett, Radial drill, plain, 44' Baush. Wire cutter, capacity 4", Shuster,

hand power.

FOR SALE BY

Rumely-Wachs Machinery Co., 126 N. Jefferson St., Chicago, Ill.

20"x 9' Draper. 20"x12' Le Blond, quick change. 20"x12' Le Blond standard. 22"x10' Blaisdell.

22"x10" Gleason. 24"x12" Hamilton. 24"x24 Fifield.

Mechanics, sliding head. Barnes, stationary head.

24" Hamilton, sliding head. 26" Bickford, manufacturers' type.

26" Bickford, manufactures 25" Barnes, sliding head.
26" Sibley & Ware, sliding head,
26" Gould & Eberhardt, sliding he

12" Springfield, single geared.

12" Lodge & Davis, single geared.
18" Hendey, friction.

No. 14 Kempsmith, universal, No. 2 Kempsmith, plain. No. 3 Kempsmith, plain. No. 3 Cincinnati, plain.

No. 32 Kempsmith, Lincoln.

24"x24"x 6' Whitcomb. 26"x26"x 6' Flather. 26"x26"x 7' Niles. 30"x30"x 8' Putnam.

Co., ase LATHES, 26"x14" Fifield, triple geared, 90"x16" Niles, 22"x12" Schumacher & Boye, q. c, 36"x12" Schumacher & Boye, 36"x14" Fifield, 36"x14" Fifield, 36"x14" New Haven,

Large variety of lathes from 11"to 18' UPRIGHT DRILLS, Lodge & Davis, sliding head.

40° Lodge & Davis, Shung Radal, 3' American, plain radial. 3' Hilles & Jones, plain radial. 4' Bickford, plain radial. Also large assortment of 20" drills and smaller, in single and multi-

ple spindle.

SHAPERS.

15" Gould & Eberhardt.

ed. 18" Walcott, triple geared.

22" Walcott, triple geared. MILLING MACHINES

and hand millers.

No. 3 Becker, vertical. No. 6 Becker, vertical Also lot of small milling machines

PLANERS.

36"x36"x 8' American, double head, 36"x35"x15' Powell, frog and switch. Number of smaller planers.

MISCELLANEOUS

Boring mill, 42" Bullard, 2 heads, Boring mill, 42" Colburn, 2 heads, Boring mill, horiz, Niles, 24" bar, Cutter and reamer grinder. Cincin't, Cutter & reamer grinder, Greenfield. Cutter & reamer grinder, LeBlond. Cutter and reamer grinder, No. 2 Norton,

Norton. Grinder, plain, No. 2 Landis. Keyseater, No. 00 Baker Bros. Keyseater, No. 2 Mitts & Merrill. Keyseater, No. 3 Baker Bros. Lathe, metal spinning, 22" Pryibil. Lathe, No. 3 Bardons & Oliver, Fox Monitor.

Lathe, 18"x6' Springfield, Fox Mon. Write for complete List just issued,

ANEOUS, Lathe, 24" Conradson, manufactur'g, Lathe, 24" Gisholi, late model. Fipe machine, 6" Saunders, Funch press, No. 2 Walsh, o. b. i. Bunch press, No. 2 Walsh, o. b. i. Bunch press, No. 4 Croolly, sol. bk. Punch press, No. 6 Wallich, a. Screw machine, No. 6 Brown & S. Screw machine, No. 6 Brown & S. Screw machine, No. 6 Brown & S. Steam hammer, 336 lb. Bement-M. Turret lathe, fat 2x24 Jones & Lamson sliding head. Turret lathe, 18"x6" Lodge & D. Turret lathe, 18"x6" Lodge & D. Turret lathe, 18"x6" Lodge & D. List just issued,

SECOND-HAN	ID MACHINERY			
FOR S	SALE BY			
Fred. C. Dickow,	33 So. Desplaines St., Chicago			
19"x 6' New Haven	50"x14' New Haven, compound			
11"x3# Foster & K	1 16"x 5" Foster & K			
Horn press, W. E. Jones. Planer, 20x20x 5 N. Haven, \$115, Punch press, T. Wold.	Shaper, 14"Walcott,			
Engine, kick presses, grinders, buffi motor, 10" universal index centers,	ng and polishing machines, tire bene etc.			
	SALE BY			
	St. and A. V. R. R., Pittsburgh,			
14"x 6' Blaisdell. 16"x 6' Jones & Lamson, 20"x 7' Johnson, 22"x10' Putnam.	THES. 24"x14' Blaisdell. 24"x16' Lodge & Shipley. 28"x16' Bridgeford. 34"x32' No Name, Old Style. NERS.			
24"x24"x6' New Haven. 28"x26"x 7' Flather.	36"x36"x 6' Putnam. 36"x36"x 8' Pond, heavy duty.			
Boring mill, single head, 72" Niles. Milling machine, universal, No. 3 Lodge & Davis. Milling mch., No. 0 Brown & Sharpe.	Milling machine, No. 2 Cincinnal			
FOR S	ALE BY			
	Sons Machinery Co			
210-212 Washington Ave.,	St. Louis, M			
T.A.T	THES.			
14"x12' American. 20"x 8' Blaisdell. 22"x10' American. 98"x15' Ponel.	44"x16' Pond. 60"x26' New Haven. 24" Gisholt, turret.			

x24 in. 8 in. / brass 0x30x1: 2x42x1: dysdy l 6x26x6 6 in, Ci No. 1 B Grinder. Grinder,

Frank T "x30' I

"x16' 12" "x16' 12" "x22' 14" "x18' 14" "x16' 14" "x21' 14" "x17' 14" "x18' 14" "x18' 14" "x18' 14"

'x60"x 6" wider 3"x33"x 8"x28"x 4x24" Fi 4" Amer Super " Barne 6"x12' sl; No. 3 Pc 53" table

No. 3 Bec

Boring m

Boring mi oring an Sellers. Broaching

Grinder, u

Sharpe.

Grinding :

Hammer, lb., Cha

Hammer. & White Pipe mach

Dynamos,

and seco

field.

26"x15' Pond.

PLANERS. 26"x36"x10' American. 44"x44"x16' Niles. 16"x16"x18" crank, 26"x26"x 7' Niles, 26"x26"x 8' Lodge & Davis.

DRILLS.

48" arm Fosdick, radial.
60" Bickford, goose neck. 24" American, sliding head. 28" American, sliding head. 32" American, sliding head.

AIR COMPRESSORS. 6x6 belted. 10x10x10 steam driven. 8x8 belted. 500 ft. steam driven. 8x8x8 steam driven. 960 cu, ft. steam driven,

10x12 belted. MISCELLANEOUS.
Miller, plain, No. 3 Cincinnati.
Punch, Pels, 23" throat.
Screw machine, 11-16" Pratt & V. Bolt cutter, 3".
Cold saw, No. 16 Higley.
Hammer, belted, 80 lb.
Hammer, drop, 200 lb. Mossburg & automatic.

Screw machine, No. 2 Bardons &0 Screw machine, 1" Cleveland and Slotter, 16" New Haven Granville. Hydraulic jack, 50 ton. Keyseater, No. 6 Morton.

FOR SALE BY

Brown & Zortman Machinery Co., 2535 Liberty Ave., Pittsburg, Pa. LATHES

x24 in. Jones & Lamson. 8 in. American Tool & Machine 21 in.x8 ft. New Haven. 60 in.x18 ft. New Haven, with 14 ft. brass lathes, (2). PLANERS AND SHAPERS.

0x30x12 Sellers planer. 2x42x18 Betts planer. 4x84x14 Niles planer, 3 heads.

24 in. Luengst shapers, (2). 26 in. Kelly shaper. 28 in. Juengst shaper. 30 in. Morton draw cut shaper. 8x26x6 Lodge & Davis planer.

s in. Cincinnati back geared shaper, RADIAL DRILLS

MISCELLAN FOUS. Grinder, universal, No. 2 Diamond. Grinder, universal, No. 2 Landis. Pulley boring machine, 50 in. Niles.

FOR SALE BY

127 N. Third St., Philadelphia, Pa. Frank Toomey, Inc.,

LATHES

21"x 9' Lodge & Davis. 20"x10' American, taper attach. 20"x 8' Fay & Scott, universal, (2).

"x90' Baker, blocked to 62\frac{1}{2}".
"x16' Niles.
"x22' Bement-Miles.
"x16' Fifield.
"x16' Fifield.

8"x16" Fifield. 7"x21' Pratt & Whitney, taper att. 8"x17' Johnson, taper attachment. 2"x18' Harrington. 1"x 7' LeBlond, taper attachment.

20"x 8' Fay & Scott, universal, 18"x10' Draper.
18"x10' Draper.
18"x 8' Read, 16"x 6' Reed, 16"x 6' Hendey.
16"x 6' Fitchburg.
6" Kivet lathe, all attachments,

PLANERS. 24"x24"x 6" American, 2 heads, 22"x22"x 6' Powell, two heads, 12" Moore crank planer, 0"x60"x14' Pond, two heads. 8" widened to 35"x 8' Hendey. 3"x33"x12' Woodward & Powell. 6"x28"x 7' New Haven.

No. 1 Bickford, plain.

go E

. 69

3lis

ind

Bros

.....\$186

bender

gh, Pa

y. innat 2 1 % (g)

ati.

t & W

ns &0

d auto

SHAPERS.

4x24" Fitchburg, traveling head.

18" American. 16" American. 12" Bement. W Gould & Eberhardt,
RADIAL DRILLS AND DRILL PRESSES.
RADIAL DRILLS AND DRILL PRESSES.
23" Barnes, stationary head.

RADIAL

Superior, sliding head.

B' Barnes, sliding head.

MILLING MACHINES.

No. 1 Brain 6"x12' slab, heavy pattern. No. 3 Pedrick & Ayer universal, 53" table. No. 1 Brainard plain, table 12x48.

No. 22 Garvin, vertical. No. 1 Van Norman duplex, table 2x9. Pratt & Whitney plain, table 55x5. No. 3 Becker Brain'd pl., table 12x42.

MISCELLANEOUS,
dgeport. Internal grinding lathe, 16"x
ment. Diamond. Boring mill, vert., 36" Bridgeport.
Boring mill, horiz., 48" Bement.
Boring and turning mill, vert., 60"

Pipe machines, 3" and 6" Curtis & Sellers, 2 heads. Broaching mach., No. 2 La Pointe. Curtis, hand power, (2). Pulley boring machine, 60" Har-

rington, upright. sinder, universal, No. 2 Brown & Punch and shear, double end, No. 2 Sharpe, rinding planer, 22"x22"x5' Spring-Royersford.

Royerstord.
Punch and shear, dbl. end. Sellers, 30" throat, 1½" cap., wt. 35.000 lbs, Shear, single end, 50" throat, 2" capacity, engine driven.
Turret lathe, No. 6 Brown & S. field. Hammer, steam, single frame, 400lb., Chambersburg.

Hammer, board drop, 500 lb., Pratt & Whitney. Pipe machine, 8" Saunders.

Dynamos, motors, engines and boilers. Wood-working machines both new and second-hand. Send for our stock books,

FOR SALE BY

Wm. C. Johnson & Sons Machinery Co. 210-212 Washington Ave., St. Louis,

Here are three exceptional bargains:

CYLINDER BORING MACHINE.

6' Niles horiz. Corliss engine cylinder boring machine for boring cylinders at one setting and operation. BORING AND TURNING LATHE.

30' Pit lathe for boring and turning fly-wheels, band wheels and rope w ELECTRIC CRANE,

40' span 25-ton electric traveling crane. three motors, 220 volts, d. c.

FOR SALE BY

The H. A. Smith Machinery Co., 384 W. Fayette St., Syracuse, N.

Smith Machinery Co., 364 W. Fayette St., Syracuse, N. Air compressor, 10x10x12 Chicago Pneumatic, single stage. Bending rolls, 8', self contained.
Boring mill, vertical, 30" (Sisholt. Lathe, 15" & Hendey, elevating rest. Lathe, 20" x 8' Reed, compound rest. Lathe, 20" x 8' Reed, compound rest. Lathe, 21" (Sisholt, almost new, and considerable equipment Lathe, 42" x 16' Fifield, triple geared. Milling machine, No. 32 Kempsmith, with dividing head. Planer, 24" x 14" x 16' Futnam. Planer, 24" x 14" x 16' Futnam. Planer, 34" x 14" x 16' New Haven, single head. Planer, 34" x 18" x 16' Fitchburg. Plate planer, 19". Shaper, 17" Kelly. No. 157-S No. 226-A

No. 259-S No. 236-S

No. 225-S

No. 188-S No. 185-A

No. 235-S

No. 234-S No. 186-S No. 228-A

No. 225-A

No. 260-S

FOR SALE BY

Milling mch., No. 2 Owen, p with 10" index centers.

C

W N

11

a

Western Machinery Co., 6th and Baymiller Sts., Cincinnati, 04 We have just purchased a complete small shop at Dayton, Ohio, the equi

ment of which for a quick turn can be bought at low cash prices. An tion of it we list as follows: Band saw, 26". Lathe, 15"x 6' Von Wyck. Lathe, 18"x 8' Perkins.

Brake, 8'.

Burring machine. Drill presses, 20, 22 & 25" Barnes. Gap lathe, 18"x8' Shepherd.

Gas engine.

Grinder, universal tool room, Hack saws, power,

With 10 Index centers.

Motor, 3 horse power,
Planer, 24"x24"x 6' G. A. Gray.
Shears, 4" and 9".
Tinners' shears, 36". Hand punches. Lathe, 13'x 6' Miami Valley. Belting and miscellaneous ma We carry a full line of lathes, planers, shapers, radial and plain drill pre and other machine tools, machinery and supplies,

Also have a 16" Bulldozer, old style, good running condition, at \$2%. quick sale.

Second-Hand Wood-Working Machinery

For a large list of used wood-working machinery, consult the Wood-Working Machinery List, a publication similar to this but devoted to the advertising of saw-mill and woodworking machines. A copy may be had on application to the publisher, A. H. Hitchcock, 1220-1235 Caxton Building. Chicago, Ill.

If You Want to Buy or Sell Second-Hand Machinery

cylin

ment

Gray.

l pres

\$225.5

ing.

Or if you have any for sale

Ask

Buffalo Tool & Supply Co. 40 Henry St., Buffalo, N.Y.

What they can do for you.

They are equipped to make it interesting.

Machine Tool Makers

should investigate carefully the facilities offered by Hitchcock's Machine Tool List for reaching this trade in all parts of the country. Its circulation is specialized to completely cover every line of manufacture in which machine tools are used—as well as all railroad and other toolusing shops—with a thoroughness and effectiveness not equalled by any other advertising medium.



WHEN YOU INQUIRE

of advertisers herein, won't you kindly remember to say somewhere in your communication that the inquiry comes from Hitchcock's Machine Tool List? Advertisers are human; they like to know that the medium in which they spend their money is received and consulted by machinery users. Not being mind readers, they can only know this when you tell them, and if you neglect to tell them, the Tool List is deprived of credit for the service it has rendered.

Drill

We

Bargains In Used Machines

Boring Mills,

36" Niles, two swivel heads. 42" Baush, two swivel heads, 3 jaw combination chuck.

66" King, motor drive, with motor, 2 swivel heads.

48" Swing car wheel borer.

Sample of our Drills.



28" Barnes Humpback Drill, with Back Gears, Power Feed, Auto. Stop.

Drills,

\$1,350

t

National Automatic drill, 10 spindles.

Three spindle Barnes gang.

Amer spindle Barnes gang. Bickford four spindle multiple. Upright Drills, 15" swing to 42" all makes, Barnes, Rockford, Snyder, Hamilton, Aurora, Mechanics, etc., a very large line, fine condition, 25" Gang radial, cone drive, swinging table. 42" Cincinnait Bickford radial, gear box drive, plain table.

4' Arm Bickford plain radial, cone drive, box table. 5' Arm Western full universal radial.

Gear Cutters.

18" Brainerd

No.1 Farwell gear hobber. Four spindle Norris multiple gear cutter.

We have Lathes, Planers, Shapers, Milling Machines, Grinders, Turret Lathes, and Screw Machines, etc.

Send for our July list "Used Machinery" giving complete descriptions.

Marshall & Huschart Machinery Company
17 S. Jefferson St., Chicago.
915 Chemical Bldg., St. Louis.

THE E.L.ESSLEY MACHINERY TO

555-557 WASHINGTON BLVD CHICAGO 222 GRAND AVE MILWAVKEE

Drilla.

4 spindle Dwight-S sensitive drill.
4 spindle Quint turret drill.
6 spid. No. 3 Garvin, mult, table fd.
29 in. S. & W., sq. base.
18 in. Baker Bros. high speed.
23 in. Barnes Sr., st. hd., b. g., p.f.(3).
24 in. Biddle, b. g., p.f.

26 in, Blatsdell, al, hd., w. I. 26 in, Bickford, heavy type, g., sL 24 in, Aurora, sta. head, b, g., p. I. 26 in, Barnes sta ry hd., bg., and pi. 27 in, Barnes sta ry hd., bg., and pi. 28 in, Lodge & D., sl. hd., b, gd., pl. 28 in, Barnes sl. hd., bg., pl. 21 t. American, sensitive radial. Engine Lathes.

15x6 Walcott, back geared, rebuilt. 16x6 Muller, b. g., p. c. f. 16x6 Springfield, c. r., p. c. f. 16x7 Springfield, c. r., p. c. f. 16x7 Springfield, c. r., h. s. 16x1 Blaisdell, c. r., h. s. 16x10 Blaisdell, plain rest.

Miscellaneous Lathes.

30 in. x 8 ft. P. & W. p. hd. chucking lathe, 24 in. 4-j. chk., p. f. to t. s. 13 in. Gisholt, standard turret, comp.

ng Pearson b. g. hub machine, like turret lathe, 23 in. h. s. pp. 22x7 Lodge & D., turret, bk. gd.

24x24x 6 L. W. Pond, 1 head. 30x30x16 Hamilton, 2 heads.

Planers.
20x50 Pedrick & Ayer, travel. bod.
open side.

23 in. Bickford, b. g., w. & l. feed, 26 in. Blaisdell, sl. hd., w. f.

18x10 Putnam. 20x12 Le Blond, p. r., h. s. 22x114 New Haven, c. r. 24x12 Schumacher & B., c. r., p. e.t 30x16 Schumacher & B., comp. res.

30x17 Gleason, pl. r., p. c. f.

Screw Machines-Turret Lathes.

2 in. Cleveland automatic. No. 3 Foster-K. pl. hd., Il in. cap No. 2 Warner & S., pl. hd., w. f., I No. 1 Pratt & W. screw machine. 18 in. Lodge & D., b. g., p. f. to unret slide, 2 in. w. f. cap.
2 in. x 24 in. Jones & L. flat turns, cone head, fine order.

liscellaneous

Blower, No. 4 Sturtevant, 7 in. out. Blower, 30 in. Buffalo, 54 in. outlet. Blower, No. 6 Boston & Co. S. Bolt cutter, 1 in. National. dbl. hd. Bolt cutter, 14 in. Nati's, sgl. hd. Bolt cutter, 14 in. Adams, single. Boring mill, 37 in. Bridgept', 2 hds. Boring mill, 37 in. Bridgept', 2 hds. Boring mill, 50 in. Rogers & Hemphill, 2 heads.

hill, 2 heads.
Boring mill, 30 in. Colburn, 3]. ck.
Boring mill, 30 in. Niles, 2 hds.
Boring mill, 60 in. Niles, 2 hds.
Boring mill, 60 in. Niles, 2 hds.
Cold saw. No. 4 Keystone, 4§ in.
Cutting-off mach., 2] in. Hurlbut &R.
Gas furnace, No. 1 Westmacott.
Gear hobber, No. 1 Adams-Farwell
Gear hobbers, Reynolds (2).
Grinder, Gisholt un'ersal tool.
Grinder, Gisholt un'ersal tool.
Grinder, Gisholt un'ersal tool.
Grinder, Join. Brown & S., 12x18 in.
Grinder, No. 3 Brown & S.
Grinder, Sin3 Diamond, single wet.
Grinder, Grown & Gis.
Grinder, No. 1 Bath univ., (2).

Keyseaters, No. 1 Morton, 18 ts.

stroke, (2), Keyseat miller, J. T. Burr. Miller, American hand. Miller, No. 5-B Becker-B, plain. Miller, No. 3 Garvin, plain. Miller, No. 22 Garvin, plain. Miller, No. 2 Kearney & Trecks.

Miller, No. 2 Kearney & Treass, back geared, plain.
Pipe mche., 4 in. Borden, complet.
Punch and shear, No. 2 Colus, double end. 20 & 8 in. throats.
capacity #x | H in. rounds.
Punch press, No. 75‡ Bliss, st. side.
not geared.

not geared.
Punch press, No. 4 V. & O., straighsided, 2 in. stroke, 31"bet. uprights.
Punch press, No. 6 R. & K., geans, o. b. i., Poll feed. Riveter, 1 in. Shuster. Roll threading mche., Rudolphi&L

Riveter, in. Shuster.
Roll threading mche., Rudolphi & I
Squaring shear. 50 in. power.
Tapper, No. 1 Garvin, vertical.
Toggle press, 10 ft. Robinson.

66"x40

Bett:
56"x16'
50"x20'
Putn:
50"x18'
48" ext:
72"x24'
42"x20'
38"x26'
36"x16'
30"x14'

30"x14"
for se
28"x15'
24"x14'
back;
24"x12'
22"x12'
22"x 8'
16"x 6'
12"x 6'
12"x 6'
3 and 52

DBL.-SF 26-48" st McCab est hea internal SF Trav. hd. 16" str. S. 5" str. S.

14-30' swir

motor di

5' arm B 31' arm I 21' arm

arm A

6' Pond he
3' Bullard,
2' Bullard,
2' Bullard
Car wheel

2'' Pond.
Bullard 26'
Bogert 28''
Potter &
22" swive

Hor. flange 24" Throat 10'8" Bending 400 lb. Stear 700 lb. Stear Gas engine

J. J. M

LATHES.

66"xi0' extra heavy triple-geared

56"x16' triple-geared Putnam. 80"x29' triple-geared extra heavy Putnam. x18' triple-geared Fitchburg.

59"x18" triple-geared Fitchburg.
48" extension gap.
72"x24' Harr, blocks to 68-92".
38"x38" Fifield, blocks to 53".
38"x18' Putnam.
39"x14' Bement-Miles extra heavy,

for severest duty.

28"x15' Blaisdell, blocks to 32".

24"x14' Fitchburg 3 step cone, dbl.

back gears. 2"x12" Putnam, hol. spdl. chuck, 2"x12" Porter h. s. blocks to 34", 2"x12" Porter h. s. blocks to 34", 2"x12" Pond, hol. spdl. chuck, 2"x8" Pond, hol. spdl. chuck, 2"x 8" Pond,

18"x 6' Hendey hol. spdl. chuck. 12"x 6' Reed, hol. spdl.

A STRONG

INDUCEMENT

to buy these Used Tools now-is the

low prices at which

J. J. McCABE, N. Y.

p.i p.f

c.f. rest

18he

read,

tur-

JETTE.

IR in.

S.

. g. ecker,

plete

olton.

roats.

sided.

aight-

rights.

i&E

RADIAL DRILLS.
6' arm Pond hvy. pattern.
5' and 54' heavy Prentice.
5' arm Bickford spd. box.
34' arm Baush.
24' arm Amerc'n spd.box. arm American

DBL -SPINDLE LATHE. swing, 22' McCabe's patented lat-

est heavy pattern with internal grd. face plate. SHAPERS.

Trav. hd. 12" str. Sellers. 16" str. S. & M. bk. grd. 2" str. S. & M. hi, spd

PLANERS.

134x80x26' Pond. 84x84x16' Niles 3 H.

84x84x16' Niles 3 H.
76x76x14' Pond 2 H.
72x76x30' Niles 4 H.
72x72x14' Niles 4 H.
60x60x12' Pond 4 H.
60x60x12' Pond 4 H.
48x48x16' Pond 3 H.
48x48x16' Pond 3 H.
48x48x12' Detrick & Harvey 2 H.
48x48x12' Sellers.
48x48x12' Sellers.
48x48x12' New Haven.

42x14' Pond. 42x42x12' Po

42x14' Pond, 42x42'x12' Pond 2 H. 38x38x19' Bernent-Miles 2 H. 38x38x19' Dond 1 H. 38x38x 8' Pond 2 H. 38x38x 8' Pond 1 H. 30x38x 8' Pond 1 H.

on rail and I side head. 26x26x 7' New Haven. 26x26x 7' New Haven. 22x22x 5' Worcester.

MULTIPLE DRILLS.

14-sp. Baush high speed. 8-spindle Western.

SPECIAL LOT of LATHES. 18 and 21" S. & B. make. 10' & 12' beds. 3-step

cones, dbl.bk.grs., with **MILLING MACHINES**

they can be bought Univ. Garvin No. 3 wt. 4,000 lb. all auto. feeds. Pl. Garvin No. 15, table before moving from shop where used. High class Machines -all Modern styles.

42x12, weight 2,200 lb. Ver. B. & S. table 53x16. Heavy Mfrs. style table 58" weight 4,000 lb.

BORING MILLS.

14-20' swing Niles ext. type dbl.hd., motor drive 125,600 lbs 6' Pond heavy pattern, dbl. head. 3' Bullard, turret head.
2' Bullard, turret head.
Car wheel borer, 3' Baker Co.

TURRET LATHES

28" Pond. Rigid Type 41" hole. Bullard 26" comb., tri. grd. 32" hole. Bogert 2 " hole. Potter & Johnson semi-automatic 22" swivel 2" holes, Jones & Lamson 2x24" with tools.

MISCELLANEOUS.

Hor. flange punch, Hilles & Jones. M"Throat punch, Bliss. Wa" Bending rolls, dr. end hous'g. 6 Bending rolls.

400 lb. Steam hammer, Erie. 700 lb. Steam hammer, Bell. Gas engine, 15 h. p.

HORIZONTAL BORING and MILLING MACHINES.

2 13-16" bar "Knee Type," 2" bar "Floor Type." 3" bar "Knee Type."

SLOTTERS.

19" stroke Bement-Miles, 16" stroke Bement-Miles. 13" stroke Niles-Bement-Pond.

12" stroke Sellers

GEAR CUTTERS. 30" Gould & Eberhardt, spur only. 22" Cleveland spur & spiral. MISCELLANEOUS.

Universal grinding machine Brown & Sharpe No. 3. Bolt cutter, Wiley & Rusell 2" good

as new.

Keyseater, 16" stroke, Morton Co's. Pipe machine 4 to 4" Philadelphia. Cutting-off and centering machine 10" Bement.

J. J. McCABE, 30 Church St., NEW YORK

Planers.

Whitcomb 22x22-in.x6-ft., A-1.
Flather 22x22-in.x5-ft., first class.
Wheeler 24x24-in.x6-ft., first class.
Hendey 24x24-in.x6-ft., first class.
Powell 27x27-in.x6-ft., two heads.
Pond 36x36-in.x8-ft., single head, parallel drive.

Keyseater.

Baker No. 2, practically new, with equipment of Cutter Bars.

Geared Head Lathe.

Prentice Patent Geared Head Lathe, 24-in.x13-ft., actual swing 27-in. compound rest, taper attachment, automatic individual stops to the carriage, crowning attachment for pulleys, with Special Tool Holder carrying four tool blocks, practically new.

Plain Radial.

Western 5-ft. Plain Radial Drill, single belt drive, tapping attachment, condition A-1.

Milling Machine.

Brown & Sharpe No. 5 Plain Milling Machine, table over all 66x16-in., a heavy powerful machine in good conditon.

Screw Machines.

Gridley Automatic, 21-in. capacity, two years old. Hartford Automatics, 3, 4, 3 and 1-in. capacity.

Bending Rolls.

Power Bending Rolls 6-ft., 1-in. plate.

Chandler & Farquhar Company Boston, Mass.

NEW

And Slightly Used Machinery At Attractive Prices

New

15 in.x6 ft. Rockford Lathe.
18 in.x8 ft. Rahn-Larmon Lathe.
No. 2 Owen Plain Milling Machine.
No. 3 Owen Plain Milling Machine.
No. 3 Owen Universal Milling Machine.

Slightly Used

Mostly from our Works equipment and thoroughly rebuilt by us.

14 in.x6 ft. Cisco Lathe, Compound Rest.
20 in.x8 ft. American Patented Geared Head
Lathe, with turret tool post and turret on shears.
21 in. Gisholt Manufacturing Turret Lathe.

24 in. Gisholt Manufacturing Turret Lathe. 24 in. x18 ft American Loose Chg Gr. Lathe, C. R.

28 in.x12 ft. American Loose Change Gear Lathe, with 36 in and 50 in. swing raising blocks.
24 in.x24 in.x12 ft. American Double Head Planer.
46 Rickford Plain Radial Drill

4 ft. Bickford Plain Radial Drill. 5 ft. American Plain Triple Geared Radial Drill,

practically as good as new.

5 ft. Western Plain Radial Drill.

Îŧ

6 ft. Bickford Plain Radial Drill.
6 ft American Full Universal Radial Drill.

American Hand Milling Machine. No 3 Cincinnati Universal Milling Machine.

No. 6 Becker-Brainerd Vertical Milling Machine, with power feed rotary attachment. Brown & Sharpe Plain Grinding Machine, capa-

city 12 in, diameter. Wais & Roos 100 lb, Hammer.

Baker Brothers Combined Sprocket Turning and Boring Machine.

The American Tool Works Co. Cincinnati, U.S.A.

Splendid Bargains

In Metal Working Tools

Are used daily doing good work. Demonstration to visitors.

All in thorough good order

Planers, assorted sizes; Bar and Chucking Turret Lathes; Engine Screw Cutting Lathes; Pulley Lathes: Radial and Upright Drills: Emery Grinders: Vises; and many other useful things for the Machine Shop-all fully illustrated and told about in

> Our Descriptive Price List. Pamphlet yours for the asking

The Cordesman-Rechtin Co. Cincinnati, Ohio

In replacing our manufacturing equipment, we find the following first class Used Machine Tools which we offer at attractive prices:

LATHES

LATHES

16"x 6' Hendey, q, c, g,
16"x 8' Reed,
1"x 6' Gray,
2"x 8' Lodge & Shipley, q, c, g,
20"x 1' Lodge & Shipley, q, c, g,
24"x 8' Lodge & Shipley, q, c, g,
24"x 8' Lodge & Shipley, q, c, g,

SPECIAL LATHES

No. 3 Lodge & Shipley Rapid No. 3 Lodge & Shipley scapes Reduction Lathe. 24"x 7" Lodge & Shipley Chuck-ing Lathe. METAL SAWS No. 3 Nutter-Barnes Cold Saw. Globe Power Hack Saw, 8" cap.

MISCELLANEOUS MACHINES

One Marion Double Grinder. One Marion Double Grinder on stand. One Diamond Disc Grinder on column.

One Surfevant Blower, Diameter of outlet 28".
No. 3 Greener. Arbor Presses.
Universal Swivel Table for Radial Drill.
Fay & Egan Single Spindle and Disc Sander.
Frow & Egan Single Spindle and Disc Sander.
Brown & Sharpe Grindstone Frame for 4"x2" Stone.
One 12"x40" Mumford Molding Machine.

The Lodge & Shipley Machine Tool Co. CINCINNATI, OHIO, U. S. A.

who supp coun or id and o wher and t

If . devic Appl close Th Equi

office a buy is nev equip Tir realit Busin

editor and s

the n

to this bill wi nical n you, y organi times a

A sa dollar the ser You

succee

The Value of Office Appliances

to You

who are the buyers and users of office appliances, supplies and furniture-you who pay the bills and count the cost-is not based on theoretical plans or ideas. It is the more tangible value of dollars and cents. Its advertisements tell you just what, where and how to buy to simplify office methods, and to save you money in the doing.

If you are interested in installing the very latest devices for the handling of your detail work, Office Appliances offers the only medium of gaining a close technical knowledge of those on the market.

This 140 Page Monthly Magazine of Office Equipment is a touch with the market place of the modern machinery of business; a universal office appliance gazetteer, a manufacturers' index, a buyers' guide, a permanent exposition of all that is newest, oldest or best in the realm of business equipment.

Time spent in reading Office Appliances is in reality time saved. A few minutes with your Business Machinery Magazine represents hours of editorial time, and an infinite amount of patience and skill in the selective process.

Pin a Dollar Bill

to this advertisement and mail to us today. That dollar bill will bring to your desk for eight months the one technical magazine of all the business world which will keep you, your auditor, your purchasing agent and your entire organization on the firing line of business-abreast of the times and in line with progress.

A sample copy is free for the asking, but why not pin the dollar bill to this advertisement today, and let us start the service at once?

You will see the returns on that dollar grow with each succeeding month.

The Office Appliance Co. Plymouth Building, Chicago, Ill.

"New Britain" Pressed Steel Tool Racks

With Seamless Trays



Made in sizes 20x26-in. and 26x32-in., furnished in any one of four styles of mountings—quick-facing ball swivel casters; with feet; with ball-thrust pivot base, or in the truck type, with either two or three trays. Also furnished with drawer,

Here is a remarkably strong tool rack, made of No. 16 gauge pressed steel, yet it has less than half the weight of gray iron—an important item in utility as well as in cost of transportation. Rivet holes pierce only the top edge of the trays, so that they are oil tight. The rounded internal corners are easy to keep clean. The apron flange, dropped full depth of the trays, gives them a finished appearance and makes them stiff and substantial.

Our Shop Furniture Catalog shows lots of good things for facilitating production. Write for it.

The New Britain Machine Co.

60 Chestnut St., New Britain, Conn.

